



GENOLITE BIOTEK
Uncoil The Innovation®

Toll Free 1-877-436-6548
M-F - 8:00am - 5:00pm PST

Cat #	Unit Size	Product Name	Price
1000	25 mg	9-Acridinecarboxylic acid, succinimidyl ester	\$55.00
1001	500 mg	5-Acetylthioglycolic acid, pentafluorophenyl ester	\$200.00
1002	1 g	9-Acridinecarboxylic acid hydrate	\$40.00
1003	1 g	Acridine orange hydrochloride hydrate	\$50.00
1004	10 ml	Acridine orange hydrochloride *GenoSol* *10 mg / ml of H ₂ O*	\$35.00
1005	5 mg	N-(9-Acridinyl)maleimide [NAM]	\$50.00
1006	5 g	9-Aminoacridine hydrochloride monohydrate	\$80.00
1007	10 mg	9-Acridine isothiocyanate	\$65.00
1008	25 mg	2-Aminoacridone, hydrochloride [AMAC]	\$85.00
1009	5 mg	1-(4-Aminobenzyl)ethylenediamine-N,N,N',N'-tetraacetic acid [Aminobenzyl-EGTA]	\$255.00
1010	5 mg	N-(4-aminobutyl)-N-ethylisoluminol [ABEI]	\$40.00
1011	500 mg	7-Amino-4-methylcoumarin [Coumarin 120]	\$100.00
1012	100 mg	7-Amino-4-methyl-3-coumarinylacetic acid [AMCA-H] ,, [AMCA blue]	\$95.00
1013	5 mg	7-Amino-4-methyl-3-coumarin acetic acid, succinimidyl ester [AMCA, SE]	\$110.00
1014	1 g	3-Aminophthalhydrazide [luminol]	\$20.00
1015	1 g	4-Aminophthalhydrazide monohydrate [isoluminol]	\$50.00
1016	10 mg	6-((7-Amino-4-methylcoumarin-3-acetyl)amino)hexanoic acid, succinimidyl ester [AMCA-X, SE]	\$85.00
1017	5 mg	7-Diethylamino- 3- (((2-iodoacetamino) ethyl) amine) carbonylcoumarin [IDCC]	\$80.00
1018	25 mg	6-Chloro-7-hydroxycoumarin-3-carboxylic acid	\$100.00
1019	10 mg	6-Chloro-7-hydroxycoumarin-3-carboxylic acid, succinimidyl ester	\$80.00
1020	100 mg	7-Hydroxy-4-methylcoumarin-3-acetic acid	\$50.00
1021	25 mg	7-Hydroxy-4-methylcoumarin-3-acetic acid, succinimidyl ester [7-Hydroxy-4-methyl-3-coumarinylacetic acid N-succinimidyl ester]	\$50.00
1022	100 mg	7-Hydroxycoumarin-3-carboxylic acid [umbelliferone-3-carboxylic acid]	\$50.00
1023	25 mg	7-Hydroxycoumarin-3-carboxylic acid, succinimidyl ester [umbelliferone-3-carboxylic acid, SE]	\$40.00
1024	50 mg	7-Hydroxy-4-coumarinylacetic acid [umbelliferone-4-acetic acid]	\$80.00
1025	25 mg	7-Hydroxy-4-coumarinylacetic acid, succinimidyl ester [umbelliferone-4-acetic acid, SE]	\$50.00
1026	50 mg	3-Cyano-7-hydroxycoumarin [3-Cyanoumbelliferone]	\$35.00
1027	25 mg	7-Diethylaminocoumarin-3-carbonyl azide	\$60.00
1028	25 mg	7-Diethylaminocoumarin-3-carbonylhydrazide	\$60.00
1029	25 mg	7-Diethylaminocoumarin-3-carboxylic acid, succinimidyl ester	\$45.00
1030	25 mg	9-(2,2-Dicyanovinyl)julolidine [DCVJ]	\$55.00
1031	100 mg	6,7-Dihydroxy-4-methylcoumarin	\$30.00
1032	25 mg	6,7-Dihydroxy-4-coumarinylacetic acid [6,7-dihydroxycoumarin-4-acetic acid]	\$80.00
1033	5 mg	6,7-Dihydroxy-4-coumarinylacetic acid, succinimidyl ester	\$70.00
1034	50 mg	7-Hydroxycoumarin-3-benzothiazol [3-(2-benzothiazol)umbelliferone]	\$40.00
1035	25 mg	7-Diethylamino-3-(4'-maleimidylphenyl)-4-methylcoumarin [CPM]	\$135.00
1036	100 mg	7-Dimethylaminocoumarin-4-acetic acid [DMACA]	\$90.00
1037	25 mg	7-Dimethylaminocoumarin-4-acetic acid, succinimidyl ester [DMACA, SE]	\$100.00
1038	10 mg	7-Dimethylamino-4-methylcoumarin-3-isothiocyanate [DACITC]	\$50.00
1039	10 mg	N-(7-Dimethylamino-4-methylcoumarin-3-yl)iodoacetamide [DACIA]	\$90.00
1040	10 mg	N-(7-Dimethylamino-4-methylcoumarin-3-yl)maleimide [DACM]	\$100.00
1041	10 mg	7-Diethylamino-3-(((2-maleimidyl)ethyl)amino)carbonylcoumarin [MDCC]	\$65.00
1042	5 g	7-Diethylamino-4-methylcoumarin	\$25.00
1043	5 mg	7-Hydroxycoumarin-3-carboxylic acid, C5-maleimide	\$90.00
1044	5 mg	7-Amino-4-methylcoumarin-3-acetic acid, C5-maleimide	\$165.00
1045	5 mg	6-Chloro-7-hydroxycoumarin-3-carboxylic acid, C5-maleimide	\$195.00
1046	100 mg	3-(2-Benzothiazolyl)-7-(diethylamino)coumarin	\$80.00
1047	10 mg	3-(2-Benzothiazolyl)-7-(diethylamino)coumarin-4-carboxylic acid	\$50.00
1048	5 mg	3-(2-Benzothiazolyl)-7-(diethylamino)coumarin-4-carboxylic acid, succinimidyl ester	\$280.00
1049	1 g	7-Hydroxycoumarin [Umbelliferone]	\$25.00
1050	5 mg	7-Diethylaminocoumarin-4-dizomethane	\$130.00
1051	1 g	5-(Dimethylamino)-1-naphthalenesulfonyl chloride [Dansyl chloride] ,, [DNSCI]	\$25.00
1052	50 mg	11-(5-(Dimethyl)-1-naphthalenesulfonylamino)undecanoic acid [DAUDA]	\$50.00
1053	25 mg	11-(5-(Dimethyl)-1-naphthalenesulfonylamino)undecanoic acid, succinimidyl ester [11-(Dansylamino)undecanoic acid, SE]	\$85.00
1054	5 mg	Dansyl-C5-maleimide	\$75.00
1055	500 mg	5-(Dimethylamino)-1-naphthalenesulfonyl fluoride [Dansyl fluoride] ,, [DNSF]	\$50.00

1056	100 mg	4-Dimethylamino-1-naphthylisothiocyanate [DNTC]	\$30.00
1057	100 mg	N-(5-Aminopentyl)-5-dimethylaminonaphthalen-1-sulfonamide [Dansylcadaverine]	\$70.00
1058	25 mg	3-(5-Dimethylaminonaphthalene-1-sulfonylamino)benzeneboronic acid [3-(Dansylamino)phenylboronic acid]	\$50.00
1059	250 mg	5-Dimethylaminonaphthalene-1-sulfonohydrazide [Dansylhydrazine]	\$35.00
1060	50 mg	5-Dimethylnaphthalene-1-sulfonylaziridine [Dansylaziridine]	\$50.00
1061	100 mg	5-((2-(t-BOC)- γ -L-Glutamylaminoethyl)amino)naphthalene-1-sulfonic acid [γ -EDANS- α -(t-BOC)-L-glutamic acid]	\$170.00
1062	25 mg	Monobromobimane [mBBr]	\$75.00
1063	25 mg	Monochlorobimane [mBCl]	\$80.00
1064	25 mg	Dibromobimane [bBBr]	\$40.00
1065	10 mg	Monoaminobimane [bimane amine]	\$90.00
1066	5 mg	Monomaleimidobimane [Bimanemaleimide]	\$150.00
1067	5 mg	Bimane isothiocyanate	\$80.00
1068	5 mg	Bimane iodoacetamine	\$90.00
1069	25 mg	Bimane mercaptoacetic acid [Carboxymethylthiobimane]	\$165.00
1070	10 mg	Bimane mercaptoacetic acid, succinimidyl ester [Carboxymethylthiobimane, succinimidyl ester]	\$105.00
1071	10 mg	Monoazidobimane [Bimane azide]	\$80.00
1072	25 mg	Monobromotrimethylammoniumbimane bromide [qBBr]	\$50.00
1073	250 mg	p-Nitrophenyl phosphorylcholine [NPPC]	\$45.00
1074	100 mg	p-Aminophenyl phosphorylcholine [APPC]	\$95.00
1075	10 mg	4-Heptadecyl-7-hydroxycoumarin [4-Heptadecylumbelliferone]	\$75.00
1076	25 mg	7-Methoxycoumarin-3-carbonyl azide	\$40.00
1077	10 mg	3-Cyano-7-ethoxycoumarin	\$70.00
1078	100 mg	4-(((4-Dimethylamino)phenyl)azo)benzoic acid, succinimidyl ester [Dabcyl, SE]	\$55.00
1079	100 mg	a-(t-boc)-e-(4-dimethylaminophenylazobenzoyl)-L-lysine	\$200.00
1080	100 mg	4-Dimethylaminophenylazophenyl-4'-maleimide (DABMI)	\$55.00
1081	250 mg	4-(4-Dimethylaminophenylazo)benzenesulfonyl chloride [Dabsyl chloride] [DABS-Cl]	\$40.00
1082	25 mg	N-(4-(4-Dimethylaminophenylazo)phenyl)iodoacetamide [DABIA]	\$60.00
1083	25 mg	1-(4-(Dimethylamino)phenyl)-6-phenylhexatriene [DMA-DPH]	\$70.00
1084	25 mg	N-(5-Dimethylaminonaphthalene-1-sulfonyl)glucosamine [Dansyl glucosamine]	\$70.00
1085	100 mg	6-(2,4-Dinitrophenyl)aminohexanoic acid, succinimidyl ester [DNP-X, SE]	\$80.00
1086	25 mg	p-Nitrophenyl-3-diazopyruvate	\$50.00
1087	100 mg	4-Formylbenzoic acid, succinimidyl ester [N-Succinimidyl p-formylbenzoate], [SFB]	\$45.00
1088	100 mg	Acetylthioacetic acid, succinimidyl ester [S-Acetylthioglycolic acid, SE], [SATA]	\$40.00
1089	100 mg	Acetylthiopropionic acid, succinimidyl ester [N-Succinimidyl thiopropionate], [STP]	\$40.00
1090	100 mg	4-Azidobenzoic acid, succinimidyl ester [N-Succinimidyl p-azidobenzoate] [SAB]	\$40.00
1091	25 mg	2-Maleimidylacetic acid, succinimidyl ester [N-Succinimidyl maleimidylacetate], [AMAS]	\$45.00
1092	100 mg	4-((Iodoacetyl)amino)methyl)cyclohexane-1-carboxylic acid, succinimidyl ester [SIAC]	\$60.00
1093	25 mg	6-Maleimidylhexanoic acid, succinimidyl ester [N-Succinimidyl-6-maleimidylhexanoate], [EMCS]	\$40.00
1094	25 mg	N-Hydroxysulfosuccinimide, sodium salt [Sulfo-NHS],,,[NHSS]	\$50.00
1095	25 mg	Dipicoline acid, AM *Cell permeable* [DPA, AM]	\$55.00
1096	10 mg	EGTA, tetra(acetoxymethyl ester) [EGTA, AM]	\$60.00
1097	10 mg	EDTA, tetra(acetoxymethyl ester) [EDTA, AM]	\$60.00
1098	100 mg	N-(3-((2,4-Dinitrophenyl)amino)propyl)-N-(3-aminopropyl)methylamine, dihydrochloride [DAMP]	\$60.00
1100	1 mg	Fura-2, AM *Cell permeable* [Fura-2 acetoxymethyl ester]	\$85.00
1101	20 X 50 ug	Fura-2, AM *Cell permeable* *GenoPak* [Fura-2 acetoxymethyl ester]	\$120.00
1102	1 ml	Fura-2, AM *Cell permeable* *1 mM/anhydrous DMSO* *Genosol* [Fura-2 acetoxymethyl ester]	\$110.00
1103	1 mg	Fura-2, AM *Cell permeable* *GenoPure* [Fura-2 acetoxymethyl ester]	\$95.00
1104	1 mg	Fura-2, pentapotassium salt *Cell impermeable*	\$65.00
1105	1 mg	Fura-2, pentasodium salt *Cell impermeable*	\$65.00
1106	1 mg	Bis-fura-2, hexapotassium salt *Cell impermeable*	\$75.00
1109	1 mg	Fura-2, 5-isothiocyanatotetramethylethyl ester	\$185.00
1110	1 mg	Fura-C ₁₈ , pentapotassium salt *Cell impermeable*	\$155.00
1111	1 mg	Indo-1, AM *Cell permeable*	\$75.00
1112	1 ml	Indo-1, AM *1 mM /anhydrous DMSO* *GenoSol* *Cell permeable*	\$85.00
1113	20 X 50 ug	Indo-1, AM *GenoPak* *Cell permeable*	\$105.00
1114	1 mg	Indo-1, pentapotassium salt *cell impermeable*	\$60.00
1115	1 mg	SBFI, AM	\$180.00
1116	1 mg	SBFI, tetraammonium salt *Cell impermeable*	\$200.00
1117	1 mg	PBFI, AM	\$195.00
1118	1 mg	PBFI, tetraammonium salt	\$200.00
1122	100 mg	5-Bromo-5'-methyl BAPTA, tetra-tert-butyl ester	\$150.00
1123	100 mg	BAPTA, tetra-tert-butyl ester	\$100.00
1124	100 mg	5-Bromo-5'-methyl BAPTA tetramethyl ester	\$145.00
1125	1 g	2-(Carbomethoxy)-methoxy-N,N-bis((carbomethoxy)methyl)aniline [APTRA trimethyl ester]	\$100.00
1126	1 g	2-Aminophenol-N,N,O-triacetic acid, tripotassium salt *Cell impermeable* [APTRA, K salt]	\$100.00

1127	25 mg	2-Aminophenol-N,N,O-triacetic acid, tri(acetoxymethyl ester) *Cell permeable* [APTRA, AM]	\$80.00
1128	25 mg	2-Amino-5-fluorophenol-N,N,O-triacetic acid, tri(acetoxymethyl ester) *Cell permeable* [5-F APTRA, AM]	\$110.00
1129	250 mg	2-Chloromethyl-5-carboxyoxazole ethyl ester [2-Chloromethylloxazole-5-carboxylic acid, ethyl ester]	\$450.00
1130	25 mg	1,2-Bis(2-aminophenoxy)ethane-N,N,N',N'-tetraacetic acid, tetraacetoxymethyl ester *Cell permeable* [BAPTA, AM]	\$75.00
1131	25 mg	1,2-Bis(2-aminophenoxy)ethane-N,N,N',N'-tetraacetic acid, tetraacetoxymethyl ester *Cell permeable**GenoPure* [BAPTA, AM]	\$105.00
1132	20 X 1 mg	1,2-Bis(2-aminophenoxy)ethane-N,N,N',N'-tetraacetic acid, tetraacetoxymethyl ester *Cell permeable* *GenoPak* [BAPTA, AM]	\$100.00
1133	1 g	1,2-bis(2-Aminophenoxy)ethane-N,N,N',N'-tetraacetic acid *Cell impermeable* [BAPTA, free acid]	\$110.00
1134	1 g	1,2-Bis(2-Aminophenoxy)ethane-N,N,N',N'-tetraacetic acid tetrapotassium salt *Cell impermeable* [BAPTA, tetrapotassium salt]	\$110.00
1135	1 g	1,2-Bis(2-Aminophenoxy)ethane-N,N,N',N'-tetraacetic acid tetrapotassium salt *Cell impermeable* [BAPTA, tetrapotassium salt]	\$70.00
1136	1 g	1,2-Bis(2-Aminophenoxy)ethane-N,N,N',N'-tetraacetic acid tetrasodium salt *Cell impermeable* [BAPTA, tetrasodium salt]	\$55.00
1137	100 mg	1,2-Bis(2-Amino-5-fluorophenoxy)ethane-N,N,N',N'-tetraacetic acid tetrapotassium salt *Cell impermeable* [5,5'-Difluoro BAPTA, tetrapotassium salt]	\$80.00
1138	25 mg	5-Isothiocyano-5'-methyl-BAPTA, free acid *Cell impermeable*	\$95.00
1139	100 mg	Ethyl diazopyruvate [Ethyl 3-diazopyruvate]	\$100.00
1140	100 mg	1,2-Bis(2-Amino-5-bromophenoxy)ethane-N,N,N',N'-tetraacetic acid tetrapotassium salt *Cell impermeable* [5,5'-Dibromo-BAPTA, tetrapotassium salt]	\$70.00
1141	25 mg	1,2-Bis(2-Amino-5-bromophenoxy)ethane-N,N,N',N'-tetraacetic acid tetraacetoxymethyl ester *Cell permeable* [5,5'-dibromo-BAPTA, AM]	\$85.00
1142	25 mg	1,2-Bis(2-Amino-5-fluorophenoxy)ethane-N,N,N',N'-tetraacetic acid tetrakis(acetoxymethyl) ester *Cell permeable* [5,5'-difluoro-BAPTA, AM]	\$85.00
1143	500 ug	Fura-4F, AM *Cell permeable*	\$115.00
1144	10 x 50 ug	Fura-4F, AM *Cell permeable* *GenoPak*	\$145.00
1145	500 ug	Fura-4F, pentapotassium salt *Cell impermeable*	\$80.00
1153	100 mg	5,5'-Bisformyl-BAPTA, tetramethyl ester	\$110.00
1154	100 mg	4,4'-Bis-hydroxy-5,5'-bisformyl-BAPTA, tetramethyl ester	\$390.00
1155	10 mg	Mag-fura-2, trimethylethyl ester	\$65.00
1157	10 mg	Fura-2, tetramethylethyl ester	\$95.00
1158	100 mg	5-Formyl-4-hydroxy-5'-methyl-BAPTA, tetramethyl ester	\$190.00
1159	25 mg	1,2-Bis(2-Amino-5-methylphenoxy)ethane-N,N,N',N'-tetraacetic acid tetrakis(acetoxymethyl) ester *Cell permeable* [5,5'-Dimethyl-BAPTA, AM]	\$75.00
1160	100 mg	1,2-Bis(2-Amino-5-methylphenoxy)ethane-N,N,N',N'-tetraacetic acid, tetrapotassium salt *Cell impermeable* [5,5'-Dimethyl BAPTA, tetrapotassium salt]	\$100.00
1161	2 g	Pluronic F127 *Trademark of BASF-Wyandotte*	\$10.00
1162	1 mg	Mag-fura-2, AM *Cell permeable*	\$55.00
1163	1 mg	Mag-fura-2, AM *Cell permeable* *GenoPure*	\$65.00
1164	20 x 50 ug	Mag-fura-2, AM *Cell permeable* *GenoPak*	\$95.00
1165	1 mg	Mag-fura-2, tetrapotassium salt *Cell impermeable*	\$90.00
1166	1 g	2-(2'-chloroethoxy)nitrobenzene [2-(2-Nitrophenoxy)ethyl chloride]	\$115.00
1167	1 g	2-(5'-Methyl-2'-nitrophenoxy)chloroethane	\$125.00
1168	1 g	4-Benzyloxy-2-nitrophenol	\$250.00
1169	100 mg	5-Formyl-5'-methyl-BAPTA, tetramethyl ester [BAPTA-TMFM]	\$110.00
1171	500 mg	1,2-Bis(2-Amino-5-nitrophenoxy)ethane-N,N,N',N'-tetraacetic acid tetramethyl ester [5,5'-Dinitro BAPTA, tetramethyl ester]	\$385.00
1172	25 mg	1,2-Bis(2-Amino-5-nitrophenoxy)ethane-N,N,N',N'-tetraacetic acid tetrakis(acetoxymethyl) ester *Cell permeable* [5,5'-Dinitro BAPTA, AM]	\$90.00
1173	100 mg	5-Nitro BAPTA, tetramethyl ester	\$395.00
1174	10 mg	5-Nitro BAPTA, AM *Cell permeable*	\$175.00
1175	100 mg	1,2-Bis(2-amino-5-nitrophenoxy)ethane-N,N,N',N'-tetraacetic acid *Cell impermeable* [5,5'-Dinitro BAPTA, free acid]	\$90.00
1176	10 mg	5-Nitro BAPTA, free acid *Cell impermeable* [5-Mononitro BAPTA, free acid]	\$170.00
1177	10 mg	5-Amino-5'-nitro BAPTA, tetramethyl ester	\$190.00
1178	5 mg	5-Amino-5'-nitro BAPTA, AM *Cell permeable*	\$195.00
1179	10 mg	5-Formyl-5'-nitro BAPTA, tetramethyl ester	\$190.00
1180	1 g	5-Methyl BAPTA tetramethyl ester	\$210.00
1181	5 mg	Resorufin-β-D-glucopyranoside	\$55.00
1182	1 mg	Calcein blue, AM	\$45.00
1184	5 mg	Resorufin, AM	\$80.00
1185	25 mg	Resorufin, sodium salt *GenoPure*	\$95.00
1186	5 mg	Resorufin, pentyl ether	\$85.00
1187	25 mg	Resorufin, acetate	\$50.00
1188	5 mg	Resorufin phosphate pyridinium salt	\$60.00
1189	5 mg	Resorufin ethyl ether	\$85.00
1190	5 mg	Resorufin methyl ether	\$85.00
1191	5 mg	Resorufin benzyl ether [Benzyloxyresorufin]	\$85.00
1192	10 mg	Resorufin-β-D-galactopyranoside	\$65.00
1193	10 mg	Resazurine sodium salt *GenoPure*	\$30.00
1194	1 g	Calcein blue	\$30.00
1195	25 mg	Paclitaxel [Taxol]	\$85.00
1198	1 g	1,6-phenyl-1,3,5-hexatriene [DPH]	\$55.00

1199	10 mg	3-(4-(6-Phenyl-1,3,5-hexatriene-1-yl)phenyl)propionic acid [DPH PA] ,, [DPH propionic acid]	\$80.00
1200	5 mg	3-(4-(6-phenyl-1,3,5-hexatriene-1-yl)phenyl)propionic acid, succinimidyl ester [DPH propionic acid, SE]	\$90.00
1201	25 mg	N,N,N-Trimethyl-4-(6-phenyl-1,3,5-hexatrien-1-yl)phenylammonium, p-toluenesulfonate [TMA-DPH]	\$90.00
1202	25 mg	4,5-dimethoxy-2-nitroacetophene hydrazone	\$50.00
1203	10 mg	23,24-bisnor-cholen-22-amino-3b-ol	\$55.00
1204	10 mg	22-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)-23,24-bisnor-5-cholen-3b-ol [NBD cholesterol] ,, [Fluoresterol]	\$80.00
1205	1 mg	6-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)caproyl)sphingosine [NBD X-ceramide] ,, [NBD C ₆ -ceramide]	\$85.00
1206	5 mg	2-(12-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)dodecanoyl-1-hexadecanoyl-sn-glycero-3-phosphocholine [NBD-C ₁₂ -HPC]	\$70.00
1207	5 mg	2-(6-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)hexanoyl-1-hexadecanoyl-sn-glycero-3-phosphocholine [NBD C ₆ -HPC]	\$70.00
1208	1 mg	N-(6-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)hexanoyl)sphingosine phosphocholine [NBD C ₆ -sphingomyelin] ,, [NBD-C ₆ SM]	\$80.00
1209	10 mg	N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine, triethylammonium salt [NBD-PE]	\$65.00
1211	5 mg	Rhodamine B 1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine, triethylammonium salt [Rhodamine DHPE]	\$70.00
1212	10 mg	22-(N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)amino)-23,24-bisnor-5-cholen-3b-yl)linolate [NBD, cholesterolyllinolate]	\$110.00
2100	5 mg	Tetramethylrhodamine-5-iodoacetamide dihydroiodide *Single isomer* [5-TMRIA]	\$230.00
2102	5 mg	Tetramethylrhodamine-5-maleimide *Single isomer* [5-TAMRA, maleimide]	\$150.00
2103	5 mg	Tetramethylrhodamine-6-maleimide *Single isomer* [6-TAMRA, maleimide]	\$135.00
2104	5 mg	Tetramethylrhodamine-5-isothiocyanate *Single isomer* [5-TRITC; G isomer]	\$75.00
2105	5 mg	Tetramethylrhodamine-6-isothiocyanate *Single isomer* [6-TRITC, R-isomer]	\$75.00
2106	100 mg	5(6)-Carboxytetramethylrhodamine *Mixed isomers* [5(6)-TAMRA]	\$45.00
2107	10 mg	5-Carboxytetramethylrhodamine *Single Isomer* [5-TAMRA]	\$40.00
2108	10 mg	6-Carboxytetramethylrhodamine *Single isomer* [6-TAMRA]	\$45.00
2109	25 mg	5(6)-Carboxytetramethylrhodamine, succinimidyl ester *Mixed isomers* [5(6)-TAMRA, SE]	\$95.00
2110	10 mg	5-Carboxytetramethylrhodamine, succinimidyl ester *Single isomer* [5-TAMRA, SE]	\$85.00
2111	10 mg	6-Carboxytetramethylrhodamine, succinimidyl ester *Single isomer* [6-TAMRA, SE]	\$85.00
2113	10 mg	5-(6)-((N-(5-Aminopentyl)amino)carbonyl)tetramethylrhodamine *Mixed isomers* [Tetramethylrhodamine cadaverine] ,, [TMR cadaverine]	\$80.00
2114	10 mg	6-(Tetramethylrhodamine-5(6)-carboxamido)hexanoic acid, succinimidyl ester *Mixed isomers* [5(6)-TAMRA-X, SE]	\$95.00
2115	5 mg	Tetramethylrhodamine-5(6)-isothiocyanate * Mixed isomers* [5(6)-TRITC]	\$50.00
2116	25 mg	Tetramethylrhodamine, methylester, perchlorate [TMRM]	\$65.00
2117	25 mg	5-Aminotetramethylrhodamine *Single isomer*	\$145.00
2118	25 mg	6-Aminotetramethylrhodamine *Single isomer*	\$165.00
2119	1 mg	N-(6-Tetramethylrhodaminecarbonyl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine, triethylammonium salt *Single isomer* [TRITC DHPE]	\$70.00
2120	100 mg	Rhodamine 110 chloride [R 110] ,, [Rh 110]	\$40.00
2121	25 mg	Rhodamine 123 [Rh 123]	\$35.00
2122	25 mg	Rhodamine 123 *GenoPure* [Rh 123]	\$70.00
2123	1 g	Rhodamine 6G chloride [Basic Red 1]	\$30.00
2124	10 mg	Rhodamine B, hexyl ester perchlorate [R 6]	\$90.00
2125	25 mg	5(6)-Carboxy-X-rhodamine, triethylammonium salt *Mixed isomers* [5(6)-ROX, TEA]	\$45.00
2126	10 mg	5-Carboxy-X-rhodamine *Single isomer* [5-ROX]	\$70.00
2127	10 mg	6-Carboxy-X-rhodamine *Single isomer* [6-ROX]	\$85.00
2128	5 mg	5-Carboxy-X-rhodamine, succinimidyl ester *Single isomer* [5-ROX, SE]	\$125.00
2129	5 mg	6-Carboxy-X-rhodamine, succinimidyl ester *Single isomer* [6-ROX, SE]	\$125.00
2130	25 mg	5(6)-Carboxy-X-rhodamine, succinimidyl ester *Mixed isomers* [5(6)-ROX, SE]	\$80.00
2131	25 mg	5(6)-Aminotetramethylrhodamine *Mixed isomers*	\$65.00
2132	5 mg	5-Carboxy-X-rhodamine, C2-maleimide [5-ROX, C2-maleimide]	\$180.00
2133	100 mg	5(6)-Carboxy-2',4',5',7',-tetrabromofluorescein *Mixed isomers* [5(6)-Carboxyeosin]	\$40.00
2134	100 mg	5(6)-Carboxy-2',4',5',7',-tetrabromofluorescein diacetate *Mixed isomers* [5(6)-Carboxyeosin diacetate]	\$85.00
2135	10 mg	5(6)-Carboxy-2',4',5',7',-tetrabromofluorescein diacetate, succinimidyl ester *Mixed isomers* [5(6)-Carboxyeosin diacetate, SE]	\$80.00
2136	10 mg	5(6)-Carboxyeosin diacetate-C ₅ -maleimide	\$80.00
2137	10 mg	5(6)-Carboxyeosin, succinimidyl ester	\$80.00
2138	10 mg	5(6)-Carboxyeosin-C ₅ -maleimide	\$80.00
2139	5 mg	5-(6)-((N-(5-Aminopentyl)maleimido)carbonyl)rhodamine 110 [5(6)-CR110-C ₅ -Maleimide]	\$155.00
2140	5 mg	6-Rhodamine-6G-C5-maleimide	\$155.00
2141	5 mg	5(6)-Rhodamine 110 hydrazide	\$155.00
2142	5 mg	6-Carboxy-X-rhodamine-C2-maleimide	\$195.00
2143	5 mg	5-Rhodamine-6G-C5-maleimide	\$155.00
2150	10 mg	6-Bromoacetyl-2-dimethylaminonaphthalene [BADAN]	\$45.00
2151	100 mg	4-Benzoylbenzoic acid, succinimidyl ester	\$40.00
2152	100 mg	Acridine orange 10-nonyl bromide [Nonyl acridine orange]	\$65.00
2153	25 mg	Lucifer Yellow CH dilithium salt [Lucifer yellow carbohydrazide Li salt]	\$60.00
2154	100 mg	1-(Ethoxycarbonylmethyl)-6-methoxyquinolinium bromide [MQAE]	\$95.00
2155	100 mg	Naphthalene-2,3-dicarboxaldehyde [NDA] ,, [NSC 72106]	\$45.00
2156	1 mg	Trans-1-(2'-Methoxyvinyl)pyrene	\$70.00
2157	25 mg	1-Pyrenepropionic acid	\$90.00

2158	250 mg	1-(Bromoacetyl)pyrene	\$45.00
2159	1 mg	1-Hexadecanoyl-2-(pyrene-1-yl)decanoyl-sn-glycero-3-phosphocholine [β -Py-C ₁₀ -HPC]	\$70.00
2160	250 mg	1-Pyrenebutanol	\$50.00
2161	1 g	1-Pyrenesulfonic acid, sodium salt	\$70.00
2162	5 mg	Rhodamine 110, bis-(L-aspartic acid amide), trifluoroacetic acid salt [Rh110-2(Asp)]	\$80.00
2163	25 mg	Rhodamine 110, bis(L-Aspartic acid(O-tert-Butyl)amide) [Rh-2Asp(t-but)]	\$120.00
2164	5 mg	Rhodamine 110, bis-(CBZ-L-alanyl-L-alanyl-L-alanyl-L-alanine amide) [Rh 110, 2(AAAA)amide]	\$80.00
2165	25 mg	N,N'-Dimethyl-N-(iodoacetyl)-N'-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)ethylenediamine [IANBD amide]	\$110.00
2166	100 mg	3-Amino-7-hydroxycoumarin [3-Aminoumbelliferone]	\$100.00
2167	10 mg	7-Hydroxycoumarin-3-isothiocyanate [Umbelliferyl-3-isothiocyanate]	\$95.00
2168	10 mg	Rhodamine 110, bis-(CBZ-L-arginine amide), dihydrochloride salt [BZAR]	\$95.00
2169	5 mg	1,3-Di(cis-9-octadecenoyl)-2-((6-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)amino)hexanoyl)glycerol [1,3-Diolein, 2-NBD-X ester]	\$100.00
2170	5 mg	2'-(N-Methylanthraniloyl)adenosine-3',5'-cyclicmonophosphate, sodium salt [MANT-cAMP]	\$90.00
2171	5 g	3-Nitro-p-tolunitrile [2-Nitro-4-tolunitrile]	\$100.00
2172	250 mg	3,3'-Dihexyloxycarbocyanine iodide [DiOC ₆ (3)]	\$80.00
2173	250 mg	3,3'-Dimethyloxycarbocyanine iodide [DiOC ₁ (3)]	\$40.00
2174	250 mg	3,3'-Diethyloxycarbocyanine iodide [DiOC ₂ (3)]	\$50.00
2175	250 mg	3,3'-Dipropyloxycarbocyanine iodide [DiOC ₃ (3)]	\$60.00
2176	250 mg	3,3'-Dibutyloxycarbocyanine iodide [DiOC ₄ (3)]	\$65.00
2177	100 mg	3,3'-Dipentyloxycarbocyanine iodide [DiOC ₅ (3)]	\$50.00
2178	50 mg	3,3'-Diheptyloxycarbocyanine iodide [DiOC ₇ (3)]	\$50.00
2179	25 mg	3,3'-Dihexadecyloxycarbocyanine perchlorate [DiOC ₁₆ (3)]	\$150.00
2180	25 mg	3,3'-Dioctadecyloxycarbocyanine perchlorate [DiO ₁₈], [DiOC ₁₈ (3)]	\$90.00
2181	5 mg	3,3'-Dilinoleyloxycarbocyanine perchlorate [DiO ₁₉ , 12-C ₁₈ (3), ClO ₄]	\$135.00
2182	25 mg	Bis-(1,3-dibutylbarbituric acid)pentamethine oxonol [DiBAC ₄ (5)]	\$90.00
2183	25 mg	Bis-(1,3-dibutylbarbituric acid)trimethine oxonol [DiBAC ₃ (3)]	\$120.00
2184	100 mg	Bis-(1,3-diethylthiobarbituric acid)trimethine oxonol [DiSBAC ₂ (3)]	\$120.00
2185	100 mg	1,2-Diamino-4,5-dimethoxybenzene, dihydrochloride [DDB]	\$65.00
2186	1 g	p-Xylene-bis-pyridinium bromide [DPX]	\$90.00
2187	1 g	4-(4-Diethylaminostyryl)-1-methylpyridinium iodide [4-Di ₂ -ASP]	\$75.00
2188	1 g	2-(4-Diethylaminostyryl)-1-methylpyridinium iodide [2-Di ₂ -ASP]	\$50.00
2189	50 mg	1-(3'-Iodopropyl)-4-methylquinolium iodide	\$100.00
2190	500 mg	1-Pyrenemethanol	\$50.00
2191	1 g	4-(Dihexadecylamino)benzaldehyde	\$250.00
2192	1 g	N-(3-Sulfopropyl)-4-picolinium, inner salt [4-Methyl-PPS]	\$50.00
2193	1 g	N-(4-Sulfobutyl)-4-methylquinoline	\$50.00
2194	250 mg	1-Octadecyl-2,3,3-trimethylindolium, 4-chlorobenzenesulfonate	\$85.00
2195	250 mg	2,3-(Bis(Hydroxymethyl)naphthalene	\$90.00
2196	100 mg	9-(Hydroxymethyl)Phenanthrene	\$85.00
2197	25 mg	9-(Bromomethyl)phenanthrene	\$100.00
2198	100 mg	6,7-Dimethoxy-1,3-dimethyl-2(1H)-quinoxaline	\$100.00
2199	25 mg	3-Bromomethyl-6,7-Dimethoxy-1-dimethyl-2(1H)-quinoxaline	\$150.00
2200	5 g	N,N-Di-N-hexylaniline [N, N-Dihexylaminobenzene]	\$100.00
2201	1 g	N,N-Di-N-Decylaniline, [N,N-Didecylaminobenzene]	\$45.00
2202	1 g	N,N-Dihexadecylaniline	\$55.00
2203	250 mg	9-Formyl-8-hydroxyjulolidine	\$95.00
2204	100 mg	9-Formyljulolidine	\$100.00
2205	1 g	2-(4-Methoxyphenyl)pyrrole	\$550.00
2206	1 g	2-(2-Thienyl)pyrrole	\$500.00
2207	5 mg	1-Palmitoyl-2-hydroxy-sn-glycero-3-phosphatidyl methanol	\$95.00
2208	5 mg	2-Palmitoyl-1-(11-Aminoundecyl)-sn-glycero-3-phosphocholine	\$285.00
2209	10 mg	4-(4-Didocosylaminostyryl)-1-methylpyridinium iodide [4-Di ₂₂ -ASP]	\$75.00
2210	25 mg	4-(4-Didecylamino)styryl)-1-methylpyridinium iodide [4-Di ₁₀ -ASP]	\$110.00
2211	250 mg	9,10-Diphenylanthracene	\$20.00
2212	100 mg	1,1'-Dihexadecyl-3,3,3',3'-tetramethylindocarbocyanine perchlorate [DiIC ₁₆ (3)]	\$155.00
2213	100 mg	1,1'-Dipentyl-3,3,3',3'-tetramethylindocarbocyanine iodide [DiIC ₅ (3)]	\$35.00
2214	10mg	1,1'-Dioctadecyl-3,3,3',3'-tetramethylindocarbocyanine perchlorate [DiD] ,, [DiIC ₁₈ (5)]	\$85.00
2215	1 g	2-Methylpyrrole	\$350.00
2216	1 g	2-(E)-2-(4-Hydroxy)phenyl)ethen-1-yl)pyrrole	\$325.00
2217	1 g	2-(4-Phenyl-1,3-butadienyl)pyrrole	\$350.00
2218	1 g	2-((4-Methoxyphenyl)-4-phenyl)pyrrole	\$500.00
2219	1 g	2-(2'-Bromoethoxy)nitro-5-methylbenzene	\$150.00
2220	1 g	2-(4-Methyl)-2-thienyl)pyrrole	\$500.00

2221	250 mg	4-Benzyloxy-2-(2'-chloroethoxy)nitrobenzene	\$155.00
2222	250 mg	5-(2-Thienyl)pyrrole-2-carboxaldehyde	\$350.00
2223	250 mg	2-Carboxy-5-(4-methoxyphenyl)thiophene	\$200.00
2224	1 g	4-(Didecylamino)bezaldehyde	\$265.00
2225	1 g	2,4-Diphenylpyrrole	\$275.00
2226	250 mg	3,5-Diphenyl-2-formylpyrrole	\$150.00
2227	1 g	4-(N,N,bis(methoxycarbonylmethyl)amino)-3-methoxybezaldehyde	\$85.00
2228	25 mg	23,24-Bisnor-5,5-cholen-22-azido-3β-acetate [3β-acetoxybisnor-5-cholenyl azide]	\$100.00
2229	100 mg	23,24-Bisnor-5-cholen-22-tosyl-3-beta-acetate [3-beta-acetoxybisnor-5-cholenyl tosylate]	\$100.00
2230	1 g	2-Phenylpyrrole	\$450.00
2231	250 mg	5-(4-Methoxyphenyl)pyrrole-2-carboxaldehyde	\$200.00
2232	1 g	2-(4-Bromophenyl)pyrrole	\$500.00
2233	1 g	2-Methy-3-carboxypyrrrole ethyl ester	\$250.00
2235	1 g	2-((E)-2-((4-Methoxycarbonyl)phenyl)ethen-1-yl)pyrrole	\$100.00
2236	1 g	2-Styrylpyrrole	\$280.00
2237	100 mg	(E)-5-Styrylpyrrole-2-carboxaldehyde	\$100.00
2238	25 mg	N-(3-Sulfopropyl)-4-(4-(didecylamino)styryl)pyridinium, inner salt [Di ₁₀ -ASP-PS]	\$65.00
2239	50 mg	Dexamethasone 21-methanesulfonate	\$95.00
2240	10 mg	6-(Chloromethyl)-4,7,8-trimethylpsoralen [CMTMP]	\$100.00
2241	1 g	3-(Carbomethoxy)methoxy-4-(N,N-bis((carbomethoxy)methyl)amino)bezaldehyde [5-Formyl-APTRA trimethylester]	\$350.00
2242	250 mg	1-Hexadecyl-2,3,3-trimethylindolium, 4-chlorobenzenesulfonate	\$85.00
2243	1 g	Methyl 3-(2-pyrrolyl)acrylate [2-(2-Methoxycarbonylethenyl)pyrrole]	\$250.00
2244	10 mg	7-Amino-4-heptadecylcoumarin	\$100.00
2245	100 mg	1,1',3,3',3'-Hexamethylindotricarbocyanine perchlorate [DiIC ₁ (7)]	\$50.00
2246	1 g	3-Maleimidobenzoic acid	\$195.00
2247	100 mg	3-Maleimidobenzoic acid N-hydroxysuccinimide ester [MBS],[MMBS]	\$50.00
2248	1 g	Benzyloxy-4-fluoro-6-nitrobenzene	\$95.00
2249	25 mg	N-(2-Aminopentyl)-4-amino-3,6-disulfo-1,8-naphthalene, dipotassium salt [Lucifer yellow cadaverine]	\$55.00
2250	100 mg	4-Amino-3,6-disulfo-1,8-naphthalic anhydride dipotassium salt [Lucifer Yellow anhydride dipotassium salt]	\$100.00
2251	25 mg	N-(4-Azido-2,3,5,6-tetrafluorobenzyl)-3-maleimidylpropionamide [TFPAM-3]	\$135.00
2252	250 mg	5-(2-Methoxycarbonyldecyl)pyrrole-2-carboxaldehyde	\$100.00
2253	100 mg	2-(2,3-Naphthalimino)ethyl trifluoromethanesulfonate	\$75.00
2254	25 mg	6-Propionyl-2-dimethylaminonaphthalene [Prodan]	\$45.00
2255	50 mg	4-(((7-Nitrobenz-2-oxa-1,3-diazol)amino)phenyl)acetic acid [NBD aminophenylacetic acid]	\$100.00
2256	1 g	1-(Methoxycarbonylmethyl)-4-methylpyridinium bromide	\$35.00
2257	10 mg	Rhodamine 110, bis-(N-CBZ-L-leucine amide) [Z-L-R110]	\$100.00
2258	500 mg	4-Phenylazomaleinanil [4-Phenylazophenylmaleimide]	\$75.00
2259	50 mg	5(6)-Carboxyrhodamine B *Mixed isomers*	\$100.00
2260	1 g	4-(4-Dimethylaminostyryl)-1-methylpyridinium, p-toluenesulfonate [4-Di ₁ -ASP, TS]	\$35.00
2261	25 mg	N-(4-Sulfopropyl)-4-(4-(diethylamino)styryl)pyridinium, inner salt [Di ₆ -ASP-PS]	\$65.00
2262	100 mg	4-Azidobenzoic acid [ABA]	\$65.00
2263	1 g	Methyl 3-nitro-p-toluate, alpha-triphenylphosphonium bromide	\$250.00
2264	100 mg	6-Dodecanoyl-2-dimethylaminonaphthalene [laurdan]	\$180.00
2265	100 mg	1,1'-Dioctadecyl-3,3',3'-tetramethylindocarbocyanine perchlorate [DiI] ,, [DiIC ₁₈ (3)]	\$125.00
2266	25 mg	4-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)butanoic acid [NBD-C ₄]	\$85.00
2267	100 mg	6-(p-Toluidino)-2-naphthalenesulfonic acid, sodium salt [2,6-TNS]	\$55.00
2268	100 mg	5-Fluoro-5'-formyl-BAPTA, tetramethyl ester	\$150.00
2269	1 g	4-(4-Dimethylaminostyryl)-1-methylpyridinium iodide [4-Di ₁ -ASP]	\$55.00
2270	1 g	3-Ethyl-2,4-dimethylpyrrole [Kryptopyrrole]	\$25.00
2271	100 mg	5-Dimethylaminonaphthalene-1-(N-(2-aminoethyl)sulfonamide [Dansyl ethylenediamine]	\$100.00
2272	10 mg	5-(((N-(Biotinoyl)amino)hexanoyl)amino)pentylamine, trifluoroacetic acid salt [biotin-X cadaverine]	\$85.00
2273	100 mg	5-((2-(Fmoc)-γ-L-glutamylaminoethyl)amino)naphthalene-1-sulfonic acid [γ-EDANS-α-Fmoc-L-glutamic acid]	\$135.00
2274	100 mg	3-(9-Anthracene)propyl trimethylammonium bromide	\$150.00
2275	1 g	Fmoc-L-Glu(OtBu)-OSE	\$45.00
2276	1 mg	1-Hexadecanoyl-2-(1-pyrenedecanoyl)-sn-glycero-3-phosphomethanol, sodium salt [β-py-C ₁₀ -HPM]	\$95.00
2277	1 mg	1-Hexadecanoyl-2-(1-pyrenedecanoyl)-sn-glycero-3-phosphoglycerol, ammonium salt [β-py-C ₁₀ -PG]	\$75.00
2278	1 mg	1-Hexadecanoyl-2-(1-pyrenedecanoyl)-sn-glycero-3-phosphoethanolamine [β-py-C ₁₀ -HPE]	\$80.00
2279	100 mg	4-(Hexadecylamino)-7-nitrobenz-2-oxa-1,3-diazole [NBD hexadecylamine] ,, [NBD-HDA]	\$50.00
2280	25 mg	4-(4-Aminophenyl)butyric acid, succinimidyl ester, trifluoroacetic acid [4-APB, SE, TFA]	\$80.00
2281	100 mg	4-(Iodoacetamido)benzene sulfonamide	\$100.00
2282	5 mg	Rhodamine 110, bis-(L-phenylalanine amide), di(trifluoroacetic acid) salt [Rh 110, 2(Phe)]	\$75.00
2283	5 mg	7-Amino-4-trifluoromethylcoumarin, L-Thr-L-Asp amide, trifluoroacetic acid salt	\$150.00
2284	25 mg	2-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)methylaminoacetaldehyde [NBD metylaminoacetaldehyde]	\$150.00
2285	100 mg	3,3'-Diethylthiadiazocarbocyanine iodide [DiSC ₂ (5)]	\$35.00

2286	1 g	7-Hydroxycoumarin-3-carboxylic acid, methyl ester	\$135.00
2287	1 g	3-(2-Hydroxy-2-propyl)phenol [m-Hydroxycumyl alcohol]	\$95.00
2288	1 mg	N-((3-Dimethyl-2-aminoethyl)ammoniumpropyl)-4-(6-(4-(diethylamino)phenyl)hexatrienyl)pyridinium trichloride [Geno 464 FX]	\$175.00
2289	5 mg	Bimane C ₃ -maleimide	\$85.00
2290	100 mg	6-Aminocoumarin, hydrochloride salt	\$75.00
2291	1 g	2-Chloro-4-methoxyresorcinol	\$195.00
2292	100 mg	1,1',3,3',3',3'-hexamethylindocarbocyanine, Iodide [DiI _C 1(3)]	\$55.00
2293	25 mg	N-(3-Sulfopropyl)-4-(4-dipentylaminostyryl)pyridinium, inner salt [Di ₅ -ASP-PS]	\$95.00
2294	100 mg	N-(3-Sulfopropyl)acridinium, inner salt [SPA]	\$55.00
2295	100 mg	Lysine-N-(N,N-diacetic acid), trifluoroacetic acid salt [NTA]	\$175.00
2296	100 mg	9-Amino-6-chloro-2-methoxyacridine [ACMA]	\$90.00
2297	1 g	1,2-Bis(2-Aminophenoxy)ethane-N,N,N',N'-tetraacetic acid, tetramethyl ester [BAPTA tetramethyl ester]	\$90.00
2298	5 mg	Brefeldin A [BF A] [Decumbin] [Ascotoxin] [Cyanein]	\$50.00
2299	5 mg	7-Nitroactinomycin D [7-NAD]	\$150.00
2300	1 g	5-(N-Phthalimidomethyl)-2,3,3-trimethylindolenine	\$95.00
2301	1 g	Anthracene-2,3-dicarboxylic acid	\$35.00
2302	5 mg	Anthracene-1,5-dicarboxylic acid [ADC]	\$100.00
2303	5 mg	Anthracene-1,5-dicarboxylic acid, di(acetoxymethyl ester) [ADC, AM]	\$165.00
2304	25 mg	1-Pyrenemethyl iodoacetate [PMIA]	\$70.00
2305	1 g	4-(Diethylamino)benzaldehyde [N,N-Diethyl-4-aminobenzaldehyde]	\$185.00
2306	250 mg	4-(Diethylamino)cinnamaldehyde	\$45.00
2307	25 mg	5-(4-Diethylaminophenyl)-2,4-pentadienal	\$155.00
2308	25 mg	N-(3-Sulfopropyl)-4-(4-dibutylaminostyryl)pyridinium, inner salt [Di ₄ -ASP-PS]	\$55.00
2309	25 mg	4-(4-(Dimethylamino)styryl)-1-docosylpyridinium bromide	\$55.00
2310	25 mg	N-(3-Sulfobutyl)-4-(4-dihexylaminostyryl)pyridinium, inner salt [Di ₆ -ASP-BS]	\$55.00
2311	100 mg	5-(2-pyrrolyl)pentanoate, methyl ester	\$150.00
2312	5 mg	N-Isobutyl-N-methylamloride, hydrochloride	\$45.00
2313	5 mg	N-(3-triethylammoniumpropyl)-4-(4-(dimethylamino)styryl)pyridinium dibromide	\$105.00
2314	250 mg	4-Nitrophenyliodoacetamide [2-Iodo-N-(4-nitrophenyl)acetamide]	\$85.00
2315	25 mg	N-(4-Sulfobutyl)-2-(4-(dipentylamino)styryl)quinolinium, inner salt	\$85.00
2316	1 g	Hexadecyl 4-chlorobenzenesulfonate	\$40.00
2317	25 mg	LDS 751	\$65.00
2318	1 g	2-(4-(Dimethylamino)styryl)-N-ethylpyridinium iodide [DASPEI]	\$20.00
2319	5 mg	1-(12-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)dodecanoylglycerol [NBD C ₁₂ -monoacylglycerol]	\$75.00
2320	100 mg	16-(9-Anthroyloxy)palmitic acid [16-AP]	\$100.00
2321	5 mg	6'-Quinidiny pentanoic acid	\$95.00
2322	5 mg	6'-Quinidiny pentanoic acid, succinimidyl ester	\$165.00
2324	100 mg	11-((1-Pyrenesulfonyl)amino)undecanoic acid	\$100.00
2325	25 mg	11-((1-Pyrenesulfonyl)amino)undecanoic acid, succinimidyl ester	\$95.00
2326	25 mg	1-Pyrenebutylcholine bromide	\$55.00
2327	25 mg	Rhodamine 800	\$55.00
2328	25 mg	6-((4-(4-(Dimethylamino)phenyl)azo)benzoyl)amino)caproic acid, succinimidyl ester [dabcyl-X, SE]	\$100.00
2329	25 mg	6-((4-(4-(Dimethylamino)phenyl)azo)benz磺onyl)amino)caproic acid, succinimidyl ester [Dabsyl-X, SE]	\$100.00
2330	25 mg	1,1'-Diioleyl-3,3',3'-tetramethylindocarbocyanine methanesulfonate [Δ 9-Dii]	\$155.00
2331	10 mg	Rapamycin [RAPA]	\$75.00
2332	250 mg	5-Phenylpyrrole-2-carboxaldehyde	\$195.00
2333	1 g	4-Hydroxy-3-nitrophenylacetic acid [NP-CO ₂ H]	\$30.00
2334	100 mg	4-Hydroxy-3-nitrophenylacetic acid, succinimidyl ester [NP-CO ₂ H, SE]	\$75.00
2335	1 g	6-(4-Hydroxy-3-nitrophenylacetyl)amino)hexanoic acid [NP-e-X]	\$280.00
2336	25 mg	6-(4-Hydroxy-3-nitrophenylacetyl)amino)hexanoic acid, succinimidyl ester [NP-e-X, SE] [NP-e-aminocaproic acid, SE]	\$85.00
2337	25 mg	6-(4-Hydroxy-3-nitrophenylacetyl)amino)hexylamine, hydrochloride salt [NP-1,6-DAH]	\$95.00
2338	5 mg	6-(4-Hydroxy-3-nitrophenylacetyl)amino)hexyl fluorescein amide [6-FAM, NP-X]	\$95.00
2339	5 mg	6-(4-Hydroxy-3-nitrophenylacetyl)amino)hexyl tetramethylrhodamine amide [6-TAMRA, NP-X]	\$155.00
2340	1 g	2-((E)-2-((4-Methoxy)phenyl)ethen-1-yl)pyrrol	\$240.00
2341	50 mg	4,4',4''-(Porphine-5,10,15,20-tetrayl)tetrakis(benzoic acid) [TCPP]	\$50.00
2342	100 mg	4,4',4''-(Porphine-5,10,15,20-tetrayl)tetrakis(benzenesulfonic acid) [TSPP]	\$75.00
2343	250 mg	meso-Tetraphenylporphine chlorine free	\$65.00
2344	1 g	meso-Tetra(4-pyridyl)porphine	\$75.00
2345	100 mg	Iodoacetic acid N-hydroxysuccinimide ester [SIA]	\$70.00
2346	10 mg	L- α -lysophosphatidylethanolamine, N-DNP-X, triethylammonium salt	\$155.00
2347	1 g	Iodoacetic anhydride	\$100.00
2348	100 mg	N-(4-Sulfobutyl)-2-(4-(dipentylamino)styryl)benzothiazole	\$95.00
2349	1 g	9-Anthracenylmethyl acrylate	\$100.00
2350	100 mg	9-Anthracenylmethyl methacrylate	\$55.00

2351	500 mg	7-(4-(Trifluoromethyl)coumarinacrylamide	\$85.00
2352	25 mg	1-(4-Methoxyphenyl)-6-phenylhexatriene	\$75.00
2353	100 mg	1,1'-Dibutyl-3,3,3',3'-tetramethylindocarbocyanine iodide	\$30.00
2354	25 mg	2-Acetamido-4-mercaptobutanoic acid hydrazide [AMBH]	\$95.00
2355	25 mg	3-Octadecanoylumbelliferone	\$75.00
2356	25 mg	[ε-(6-(Biotinoyl)amino)hexanoyl-L-lysine] ,, [Biocytin-X]	\$155.00
2357	1 g	7-Ethoxycoumarin	\$135.00
2358	10 mg	3,3'-Diocadecyl-5,5'-diphenyloxcarbocyanine chloride [5,5'-Ph ₂ -DiOC ₁₈ (3)]	\$75.00
2359	25 mg	7-(4-Carboxy-1-butyl)-1,5-dimethylxantine [Caffeine pentanoic acid]	\$95.00
2360	10 mg	7-(4-Carboxy-1-butyl)-1,5-dimethylxantine, succinimidyl ester [Caffeine pentanoic acid, SE]	\$95.00
2361	25 mg	5,5',6,6'-Tetrafluoro BAPTA, tetrapotassium salt *Cell impermeable*	\$145.00
2362	10 mg	7-Ethoxy-4-heptadecylcoumarin	\$155.00
2363	25 mg	1-Pyreneethylamine, hydrochloride salt	\$95.00
2364	5 mg	N-(4-(P-Maleimidylphenyl)butyryl)dipalmitoyl-L-α-phosphatidylethanolamine, triethylammonium salt [MPB-DPPE]	\$155.00
2365	5 mg	1,1',-Diocadecyl-6,6'-diphenyl-3,3,3',3'-tetramethylindocarbocyanine chloride [6,6'-Ph ₂ -DiIC ₁₈ (3)]	\$95.00
2366	100 mg	1,5-Dimethyl-2-(4-dimethylaminophenyl)benzothiazole, chloride	\$85.00
2367	25 mg	6-(4-Carboxy-1-butyl)-1,3-dimethylxantine [1,3-Dimethylxantine-6-pentanoic acid]	\$95.00
2368	10 mg	6-(4-Carboxy-1-butyl)-1,3-dimethylxantine, succinimidyl ester [1,3-Dimethylxantine-6-pentanoic acid, SE]	\$95.00
2369	25 mg	Fluorescein methyl ester methyl ether [MFME]	\$85.00
2370	1 g	2-Amino-5-bromopyrazine	\$125.00
2371	1 g	Methy 3-amino-6-bromopyrazine-2-carboxylate	\$165.00
2372	1 g	2-Amino-3,5-dibromopyrazine	\$110.00
2374	1 g	Tris-(2-cyanoethyl)phosphine	\$30.00
2375	25 mg	Naphthalene-1,4-dipropionic acid, disodium salt	\$110.00
2376	100 mg	2-Dimethylaminonaphthalene-5-sulfonyl chloride	\$115.00
2377	25 mg	Umbelliferyl Arachidonate [7-Hydroxycoumarin arachidonate]	\$65.00
2378	1 mg	Arachidonic Acid-biotinimide	\$95.00
2379	100 mg	6-((4-(4-(Dimethylamino)phenyl)azo)benzoyl)amino)caproic acid [Dabcyl-X, free acid]	\$125.00
2380	1 g	O-Phthaldialdehyde [OPA] GenoPure	\$45.00
2381	10 mg	1,1'-Diocadecyl-3,3,3',3'-tetramethylindotricarbocyanine iodide [DiIC ₁₈ (7)] ,, [DIR']	\$95.00
2382	1 mg	RH 795	\$165.00
2383	100 mg	4-Azido-2,3,5,6-tetrafluorobenzoic acid [ATFB]	\$80.00
2384	25 mg	Monobromobimane *GenoPure* [mBBr]	\$80.00
2385	10 mg	Acridine homodimer [Bis-(6-chloro-2-methoxy-9-acridinyl)spermine]	\$95.00
2386	5 mg	N-Deacetylcolchicine [Desacetyl colchicine]	\$95.00
2387	5 mg	Hexidium Iodide	\$85.00
2388	5 mg	1,1'-Dilinoylel-3,3,3',3'-tetramethylindocarbocyanine, 4-chlorobenzenesulfonate	\$160.00
2389	1 g	(S)-(+)-4-Nitrophenylalanine methyl ester hydrochloride [Methyl 4-nitro-L-phenylalaninate hydrochloride]	\$30.00
2390	1 mg	Hyperincin	\$55.00
2391	25 mg	4-(4-(Dihexadecylamino)styryl)-N-methylpyridinium iodide [4-Di ₁₆ -ASP]	\$130.00
2392	5 mg	Aminoglibenclamide	\$95.00
2393	1 g	Glibenclamide	\$35.00
2394	1 mg	Fluorescein-5-(thioureidyl)glycylglycyl-L-histidine, dipotassium salt [FITC-Gly-Gly-His]	\$85.00
2395	100 mg	2-Amino-4'-(dimethylamino)acetophenone, hydrochloride	\$125.00
2396	100 mg	1,1'-Didodecyl-3,3,3',3'-tetramethylindocarbocyanine perchlorate [DiIC ₁₂ (3)]	\$165.00
2397	1 g	N-(4-Sulfobutyl)-4-methylpyridine	\$45.00
2398	1 g	2-(4-Methoxyphenyl)thiophene	\$145.00
2399	100 mg	2-(P-Anisidinylnaphthalene-6-sulfonic acid [2,6-MeOANS]	\$175.00
2400	25 mg	4-(N,N-Dihexadecylamino)-7-nitrobenz-2-oxa-1,3-diazole [NBD dihexadecylamine]	\$55.00
2401	25 mg	3-Morpholinostydonimine hydrochloride [SIN-1]	\$70.00
2402	100 mg	N, N, Dibutylbarbituric acid	\$100.00
2403	25 mg	4,4'-Dithiobisphenylazide	\$65.00
2404	5 mg	Glycerol tris-(1-pyrenebutyrate)	\$145.00
2405	1 mg	Ionomycin, calcium salt	\$25.00
2406	1 mg	Genophen green, diacetate *cell permeable* [GPG, diacetate]	\$50.00
2407	10 mg	9,10-Bis-(4-ethoxyphenyl)-2-chloroanthracene	\$65.00
2408	5 mg	6-Palmitoyl-2-((2-trimethyl)ammoniumethyl)methylamino)naphthanlen, chloride [PATMAN]	\$95.00
2409	25 mg	4-(4-Dipentylaminostyryl)-N-methylpyridinium iodide [4-Di ₅ -ASP]	\$95.00
2410	25 mg	1-Dimethylaminomethylpyrene, Hydrochloride salt	\$75.00
2411	5 mg	3,3'-Diocadecyl-5,5'-di(4-sulfophenyl)oxcarbocyanine, sodium salt [SP-DiOC ₁₈ (3)]	\$175.00
2412	1 mg	Mag-indo-1, tetramethyl ester	\$65.00
2413	1 mg	Mag-indo-1, AM *Cell permeable*	\$135.00
2414	1 mg	Mag-indo-1, AM *GenoPure* *Cell permeable*	\$170.00
2415	20 X 50 ug	Mag-indo-1, AM *GenoPak* *Cell permeable*	\$200.00

2416	1 mg	Mag-indo-1, tetrapotassium salt cell *impermeable*	\$95.00
2417	5 mg	N,N'-Di(trimethylammoniumpropyl)thiadicarbocyanine, tribromide	\$75.00
2418	5 mg	2-(4-N-methyl-2-pyridinium)-4,5-dihydro-naphtho[2,1-d]-1,3-oxazole p-toluenesulfonate	\$165.00
2419	10 mg	N-(4-Aminobenzoyl)biocytin, trifluoroacetic acid salt	\$95.00
2420	1 g	4-(t-Butoxycarbonyl) aminobenzoic acid	\$175.00
2421	100 mg	4-(t-Butoxycarbonyl)aminobenzoic acid, succinimidyl ester [Boc-4-Abz-OSu]	\$45.00
2422	1 g	Methyl 2-(2-benzothiazoyl)ethanoate	\$400.00
2423	1 g	2-(4-(Dimethylamino)styryl)-N-methylpyridinium iodide [2-Di ₁ -ASP]	\$40.00
2424	10 mg	5-(3-Phenylboronic acid)fluorescein thiourea [FITC phenylboronic acid]	\$155.00
2425	10 mg	1-Pyrenedecanoic acid, succinimidyl ester	\$95.00
2426	100 mg	4-(N,N-Bis((carbomethoxy) methyl)amino)-5-(carbomethoxy) methoxy-2-hydroxybezaldehyde [5-Formyl-4-hydroxy-APTRA, trimethylester]	\$325.00
2427	100 mg	4-(Bromomethyl)isophthalic acid, dimethyl ester	\$350.00
2428	5 mg	1-(11-Aminoundecyl)-2-decanoyl-sn-glycero-3-phosphocholine	\$285.00
2430	500 ug	Fura-FF, AM *Cell permeable*	\$125.00
2431	500 ug	Fura-FF, AM *Cell permeable* *GenoPure*	\$165.00
2432	10 X 50 ug	Fura-FF, AM *Cell permeable* *GenoPak*	\$155.00
2433	500 ug	Fura-FF, pentapotassium salt *Cell impermeable*	\$75.00
2434	5 mg	Rhodamine 110, bis-(glycylglycyl amide), di(trifluoroacetic acid) salt [Rh 110, GG]	\$185.00
2435	25 mg	1-Palmitoyl-2-hydroxy-sn-glycero-3-phosphethanolamine [16:0 Lyso PE]	\$95.00
2436	1 g	Thiazolyl blue tetrazolium bromide [MTT]	\$60.00
2437	25 mg	5-(2-(or-3)-S-(Acetylmercapto)succinoyl)amino)fluorescein *Mixed isomers* [SAMSA fluorescein]	\$105.00
2438	5 mg	5-(2-Aminoethyl)thioureidyl)fluorescein, nicotinamide	\$85.00
2439	1 mg	7-Amino-4-trifluoromethylcoumarin, N-CBZ-L-aspartyl-L-glutamyl-L- valyl-L-aspartic acid amide [Z-DEVD-AFC]	\$85.00
2440	100 mg	N-(3-Triethylammonium)propyl-4-methylpyridinium dibromide	\$75.00
2441	10 mg	N-(3-Maleimidylbenzoyl)-thyroxine, methyl ester	\$95.00
2442	100 mg	4-Fluoro-3-nitrophenyl azide [FNPA]	\$95.00
2443	100 mg	Succinimidyl N-methylantranilate	\$85.00
2444	5 mg	N-(4-maleimidylmethyl)cyclohexane-1-carbonyl)-12-dihexadecanoyl-sn-glycero-3-phosphoethanolamine triethylammonium salt [MMCC DHPE]	\$75.00
2445	10 mg	N-(4-((3-Carboxypropionyl)piperazinocarbonyl)butyl)carbamazepine	\$155.00
2446	5 mg	N-(4-((3-Carboxypropionyl)piperazinocarbonyl)butyl)carbamazepine, succinimidyl ester	\$175.00
2447	1 mg	7-Amino-4-methylcoumarin, N-CBZ-L-isoleucyl-L-glutamyl-L-threonyl-L-aspartic acid amide [Z-IETD-AMC]	\$95.00
2448	1 mg	1,2-bis-(1-Pyrenedecanoyl)-sn-glycero-3-phosphocholine	\$85.00
2449	100 mg	4-Acetamido-4'-isothiocyanatostilbene-2,2'-disulfonic acid, disodium salt [SITS]	\$50.00
2450	1 mg	Rhodamine 110, bis-(CBZ-glycyl-L-prolyl-L-arginine amide), dihydrochloride [Rh 110, 2(Z-Gly-Pro-Arg amide), 2HCl]	\$95.00
2451	100 mg	5-(4-Methoxyphenyl)-3-phenylpyrrole-2-carboxaldehyde	\$165.00
2452	5 mg	5-(N,N-Dimethyl)amiloride, hydrochloride	\$45.00
2453	10 mg	N-(2-Pyridyldithio)propionyl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine, triethylammonium salt [PDP DHPE]	\$95.00
2454	25 mg	Fluorescein-5-EX, free acid	\$95.00
2455	25 mg	N-(3-Maleimidylpropionyl)biocytin	\$95.00
2456	5 mg	L-Aspartic acid, alpha-(4,5-dimethoxy-2-nitrobenzyl)ester, hydrochloride [alpha-(DMNB-Caged) L-aspartic acid]	\$85.00
2457	5 mg	4-(9-Acridinecarbonyl)amino)-2,2,6,6- tetramethylpiperidin-1-oxyl, free radical [TEMPO-9-AC]	\$85.00
2458	25 mg	beta-Trifluoromethylumbelliferyl beta-D-glucuronide	\$185.00
2459	10 mg	3-Carboxyumbelliferyl β-D-galactopyranoside [CUG]	\$155.00
2460	25 mg	2-(4-Carboxyphenyl)-4,4,5,5-tetramethylimidazoline-1-oxyl-3-oxide, potassium salt [Carboxy-PTIO]	\$70.00
2461	5 mg	9-(2-Carboxy-2-cyanovinyl)julolidine [CCVJ]	\$75.00
2462	5 mg	9-(2-Carboxy-2-cyanovinyl)julolidine N-succinimidylester [CCVJ, SE]	\$90.00
2463	5 mg	3-((12-(7-Nitrobenzofurazan-4-yl)amino)dodecanoic acid)cholesteryl ester [3-Cholesteryl NBD-C ₁₂]	\$95.00
2464	1 mg	1-Hexadecanoyl-2-(1-pyrenedecanoyl)-sn-glycero-3-phosphate, disodium salt [β-Py-C ₁₀ -HPA]	\$65.00
2465	10 mg	4-Azido-2,3,5,6-tetrafluorobenzoic acid, STP ester, sodium salt [ATFB-STP]	\$95.00
2466	5 mg	N-(Fluorescein-5-thiocarbonyl)-1,2-dimyristoyl-sn-gycero-3-phosphoethanolamine [Fluorescein DMPE]	\$90.00
2469	100 mg	4,4'-Dibenzamidostilbene-2,2'-disulfonic acid, disodium salt [DBDS]	\$165.00
2470	250 mg	5-Methylpyrrole-2-carboxaldehyde	\$195.00
2471	25 mg	6-((7-Amino-4-methylcoumarin-3-acetyl)amino)hexanoic acid [AMCA-X]	\$65.00
2472	100 mg	4,4'-Diisothiocyanatostilbene-2,2'-disulfonic acid [DIDS]	\$40.00
2474	25 mg	4-Acetamido-4'-maleimidylstilbene-2,2'-disulfonic acid, disodium salt	\$135.00
2475	10 mg	Malachite green isothiocyanate	\$165.00
2476	25 mg	lucifer yellow iodoacetamide, dipotassium salt	\$135.00
2477	25 mg	6-((5-Dimethylaminonaphthalene-1-sulfonyl)amino)hexanoic acid, succinimidyl ester [dansyl-X, SE]	\$60.00
2478	100 mg	1,2-Bis(2-Amino-5-aminophenoxy)ethane-N,N,N',N'-tetraacetic acid tetramethyl ester [5,5'-Diamino BAPTA, tetramethyl ester]	\$195.00
2479	1 g	3,6-Dioxaoctanedioic acid	\$40.00
2480	500 mg	7-Amino-4-methyl-2-quinolinol [Carbostyryl 124] ,, [CS 124]	\$135.00
2481	100 mg	ε-(4-((4-(Dimethylamino)phenyl)azo)benzoyl)-α-9-fluorenylmethoxycarbonyl-L-Lysine [DabcyL-α-FMOC-L-lysine]	\$200.00
2482	5 mg	3β-Azido-3-deoxydigoxigenin	\$80.00

2483	1 mg	N-(3-Triethylammoniumpropyl)-4-(4-(dipentylamino)styryl)pyridinium dibromide [Geno 184]	\$45.00
2484	5 mg	N-(((4,5-Dimethoxy-2-nitrobenzyl)oxy)carbonyl)dopamine [N-(NVOC-caged)dopamine]	\$95.00
2487	100 mg	5-(((2-Iodoacetyl)amino)ethyl)amino)naphthalene-1-sulfonic acid [1,5-IAEDANS]	\$60.00
2488	25 mg	Benzylglyoxal	\$200.00
2489	25 mg	lucifer yellow CH, potassium salt [Lucifer yellow carbohydrazide K salt]	\$65.00
2490	100 mg	Tetrakis-(2-pyridylmethyl)ethylenediamine [TPEN]	\$75.00
2491	5 mg	5-(N-Ethyl-N-isopropyl)amiloride, hydrochloride	\$65.00
2492	1 g	1,4-Dibenzoyloxy-2-nitrobenzene [2,5-Dibenzoyloxynitrobenzene]	\$40.00
2493	25 mg	N-(Biotinoyl)-N'-(iodoacetyl)ethylenediamine	\$95.00
2494	1 g	5-Chloro-2,4-dihydroxybenzaldehyde	\$350.00
2495	25 mg	5-(4-Dimethylaminophenyl)-2,4-pentadienal	\$155.00
2496	5 mg	Adenosine 5'-triphosphate, P3-(1-(2-nitrophenyl)ethyl)ester, disodium salt [NPE-Caged ATP]	\$125.00
2497	25 mg	9-Acridinecarbonyl azide	\$95.00
2498	25 mg	5-Azido-1-naphthol	\$95.00
2499	500 ug	Fura-5F, pentapotassium salt *Cell impermeable*	\$80.00
2500	500 ug	Fura-5F, AM *Cell permeable*	\$100.00
2501	10 X 50 ug	Fura-5F, AM *Cell permeable* *Genopak*	\$145.00
2502	5 mg	Sulforhodamine 101 hydrazide [GenoRed hydrazide]	\$95.00
2503	100 mg	4,4'-Diisothiocyanatodihydrostilbene-2,2'-disulfonic acid, disodium salt [H ₂ DIDS]	\$130.00
2504	5 mg	2-Amino-3-benzyl-5-(4-hydroxyphenyl)pyrazine	\$150.00
2505	10 mg	6-(Diethylamino)-2-(2-(4-pyridyl)ethylenyl)naphthalene [Di-2-ANEP]	\$150.00
2506	5 g	N-(3-Dimethylaminopropyl)-N'-ethylcarbodiimide hydrochloride [EDAC] ,, [EDC]	\$80.00
2507	5 mg	Rhodamine 110, bis-(L-arginine amide), tetrahydrobromide salt	\$75.00
2508	25 mg	5-Amino-APTRA trimethylester	\$195.00
2509	25 mg	1,1'-Dioctadecyl-3,3,3',3'-tetramethylindocarbocyanine perchlorate *Crystalline* [DiI] ,, [DiI _{C18} (3)]	\$115.00
2510	1 g	2,4-Dimethylpyrrole-3-propionic acid, methyl ester	\$500.00
2511	100 mg	4-(N-Methyl-N-(2-hydroxyethyl)amino)-7-nitrobenz-2-oxa-1,3-diazole [NBD Methylaminoethanol]	\$95.00
2512	1 g	Methyl 3-(2-pyrrolyl)propionate [2-(2-methoxycarbonyl)ethyl]pyrrole]	\$250.00
2513	25 g	4-Amino-3-nitrobenzotrile	\$250.00
2514	25 g	4-Formylbenzotrile [4-Cyanobenzaldehyde]	\$200.00
2515	100 mg	3,3'-Dipropylthiadicarbocyanine iodide [DiSC ₃ (5)]	\$35.00
2516	100 mg	Bis-(3-phenyl-5-oxoisoxazol-4-yl)pentamethine oxonol [oxonol V]	\$185.00
2517	10 mg	N,N'-Dimethyl-9,9'-biacridinium dinitrate *GenoPure* [Lucigenine]	\$25.00
2518	25 mg	ε-(6-(Biotinoyl)amino)hexanoyl-α-tert-butoxycarbonyl-L-lysine [α-t-boc(biocytin-X)]	\$100.00
2519	500 mg	α-Desthiobiotin	\$125.00
2520	5 mg	7-Amino-4-chloromethylcoumarin [Blue CMAC]	\$70.00
2521	1 mg	o-Nitrophenyl EGTA, AM [NP-EGTA, AM]	\$200.00
2522	20 X 50 ug	o-Nitrophenyl EGTA, AM *GenoPak* [NP-EGTA, AM]	\$260.00
2523	10 mg	Hoechst 34580	\$100.00
2524	100 mg	Fmoc-Lys(biotinyl)-OH [Fmoc-Biocytin]	\$65.00
2525	500 mg	t-Boc-Biocytin [N _α -Boc-biocytin]	\$200.00
2526	25 mg	5-Formyl-BAPTA, tetramethyl ester *Cell impermeable*	\$95.00
2527	25 mg	1,2-Bis(2-amino-5-fluorophenoxy)ethane-N,N,N',N'-tetraacetic acid *Cell impermeable* [5,5'-Difluoro BAPTA, free acid]	\$65.00
2528	1 g	1,2-Bis(2-Amino-5-methylphenoxy)ethane-N,N,N',N'-tetraacetic acid tetrakis methyl ester *Cell impermeable* [5,5'-Dimethyl-BAPTA, tetramethyl ester]	\$195.00
2529	1 g	1,2-Bis(2-Amino-5-fluorophenoxy)ethane-N,N,N',N'-tetraacetic acid tetramethyl ester *Cell impermeable* [5,5'-Difluoro-BAPTA, tetramethyl ester]	\$255.00
2530	100 mg	1,2-Bis(2-Amino-5-bromophenoxy)ethane-N,N,N',N'-tetraacetic acid tetramethyl ester *Cell impermeable* [5,5'-Dibromo-BAPTA, tetramethyl ester]	\$95.00
2531	100 mg	2-Amino-5-fluorophenol-N,N,O-triacetic acid, trimethyl ester *Cell impermeable* [5F APTRA, trimethyl ester]	\$65.00
2532	25 mg	5,5'-Bisformyl-4-hydroxy-BAPTA, tetramethyl ester	\$155.00
2533	25 mg	N-Methyl-4-hydrazino-7-nitrobenzofurazan [NBD methylhydrazine] ,, [4-(1-Methylhydrazino)-7-nitrobenzofurazan]	\$85.00
2534	5 mg	Rhodamine 110, bis-(CBZ-L-phenylanyl-L-arginine amide), dihydrochloride	\$90.00
2535	1 g	3,4-Dimethoxy-6-nitroacetophenone	\$185.00
2536	25 mg	5-Amino-2',4',5'7'-tetraiodofluorescein *Single isomer* [5-Aminoerythrosin]	\$185.00
2537	10 mg	4-(6-Phenyl-1,3,5-hexatrien-1-yl)carboxylic acid [DPH-carboxylic acid]	\$80.00
2538	10 mg	Indo-1, tetramethyl ester	\$95.00
2539	1 g	2,4-Dipropylpyrrole	\$400.00
2540	10 mg	5-Maleimido-eosin [Eosin-5-maleimide]	\$120.00
2541	100 mg	Benzophenone-4-isothiocyanate	\$110.00
2542	25 mg	Acridine orange 10-nonyl bromide *GenoPure* [Nonyl acridine orange]	\$90.00
2543	1 g	3,5-Dimethylpyrrole-2-carboxaldehyde	\$90.00
2544	100 mg	(4-Aminoacetylphenoxy)acetic acid, methyl ester hydrochloride	\$155.00
2545	1 g	Tris(2-cyanoethyl)phosphine [TCP]	\$55.00
2546	5 mg	5(6)-Carboxytetramethylrhodamine biocytin [Biocytin TMR]	\$135.00

2547	25 mg	4-Hydroxybenzylglyoxal [p-Hydroxyphenyl]pyruvaldehyde]	\$350.00
2548	1 mg	o-Nitrophenyl EGTA, acid *Cell impermeable* [NP-EGTA, acid]	\$250.00
2549	5 mg	Sulforhodamine 101 ethylene diamine *Mixed isomers* [GenoRed ethylene diamine] ,, [GenoRed C ₂]	\$185.00
2550	25 mg	1,2-Bis(2-Amino-5-bromorophenoxy)ethane-N,N,N',N'-tetraacetic acid tetracesium salt *Cell impermeable* [5,5'-Dibromo-BAPTA, tetracesium salt]	\$95.00
2551	10 mg	1,1'-Dioctadecyl-3,3,3',3'- tetramethylindodicarbocyanine, 4-chlorobenzenesulfonate salt [DiD' solid] ,, [DiIC ₁₈ (5) solid]	\$85.00
2552	25 mg	4-(N,N-Dimethyl-N-(2-hydroxyethyl)ammonium-2,2,6,6-tetramethylpiperidine-1-oxyl chloride [TEMPO choline]	\$65.00
2553	5 mg	1,1'-Dioctadecyl-5,5'-diphenyl-3,3,3', 3'-tetramethylindodicarbocyanine chloride [5,5'-Ph ₂ -DiIC ₁₈ (3)]	\$135.00
2554	25 mg	lucifer yellow CH, ammonium salt	\$60.00
2555	25 mg	6-((4-((4-(Dimethylamino)phenyl)azo)benzoyl)amino)dodecanoic acid, succinimidyl [dabcyI lauric acid, SE]	\$155.00
2556	25 mg	6-((4-((4-(Dimethylamino)phenyl)azo)benzoyl)amino)dodecanoic acid [dabcyI lauric acid]	\$85.00
2557	25 mg	7-Amino-4-trifluoromethylcoumarin, L-aspartic acid amide [AFCD]	\$125.00
2558	1 g	2-((E)-2-((4-Methoxycarbonylmethoxy))phenyl)ethen-1-yl)pyrrole	\$450.00
2559	5 mg	7-Amino-4-trifluoromethylcoumarin, L-Threonine-L-Aspartic acid amide, trifluoroacetic acid [AFC-Thr-Asp amide]	\$155.00
3000	1 g	D-Biotin	\$30.00
3001	100 mg	Biotin, succinimidyl ester [Succinimidyl D-biotin] ,, [Biotin, SE]	\$50.00
3002	100 mg	6-((Biotinoyl)amino)hexanoic acid, succinimidyl ester [Biotin-X, SE] ,, [Biotinamidocaproate, N-hydroxysuccinimidyl ester] ,, [Biotin-LC, SE]	\$75.00
3003	100 mg	6-((Biotinoyl)amino)hexanoic acid, sulfosuccinimidyl ester, sodium salt,, [Sulfo-NHS-LC-Biotin],, [Biotin-X, SSE],, [Biotin-LC-SSE]	\$130.00
3004	100 mg	6-((6-((Biotinoyl)amino)hexanoyl)amino) hexanoic acid, succinimidyl ester [biotin-XX, SE],,[Biotin-LC-LC-SE]	\$110.00
3005	25 mg	N-(2-Aminoethyl)biotinamide, hydrobromide [Biotin ethylenediamine]	\$45.00
3006	25 mg	N-(5-Aminopentyl)biotinamide, trifluoroacetic acid salt [Biotin cadaverine]	\$65.00
3007	100 mg	ε-N-biotinyl-L-lysine [Biocytin]	\$60.00
3008	10 mg	Biocytin hydrazide	\$80.00
3010	100 mg	Biotin hydrazide	\$40.00
3011	10 mg	N-(Aminoxyacetyl)-N'-(D-biotinoyl) hydrazine, trifluoroacetic acid salt [ARP]	\$100.00
3012	10 mg	1,10-Bis-(1-pyrene)decane	\$60.00
3013	10 mg	N-(Biotinoyl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine triethylammonium salt [Biotin DHPE]	\$125.00
3014	100 mg	6-((6-((Biotinoyl)amino)hexanoyl)amino)hexanoic acid, [biotin-XX],,[Biotin-LC-LC]	\$55.00
3015	25 mg	6-((6-((Biotinoyl)amino)hexanoyl)amino)hexanoic acid, sulfosuccinimidyl ester, sodium salt [Biotin-XX, SSE],,[Biotin-LC-LC-sulfo-NHS]	\$95.00
3016	5 mg	6-((Biotinoyl)amino)hexanoyl)-1,2-dihexadecanoyl-sn-glycero-3-phosphoethanolamine triethylammonium salt [Biotin-X DHPE]	\$155.00
3109	5 mg	2-Methyl-6-(4-methoxyphenyl)-3,7-dihydroimidazo[1,2-a]pyrazin-3-one, hydrochloride [MCLA]	\$80.00
3110	250 ug	Coelenterazine [CLZN]	\$90.00
3111	250 ug	Coelenterazine cp	\$125.00
3112	250 ug	Coelenterazine f	\$90.00
3113	250 ug	Coelenterazine hcp	\$135.00
3114	250 ug	Coelenterazine n [CLZ-n]	\$110.00
3115	250 ug	Coelenterazine h	\$90.00
3116	250 mg	2-Amino-6-chloropurine riboside [6-chloroguanosine riboside]	\$100.00
3117	25 mg	2-Amino-6-mercapto-7-methylpurine, inner salt [MESG]	\$180.00
3120	250 mg	2-Cyano-6-methoxybenzothiazole	\$30.00
3121	100 mg	2-Cyano-6-hydroxybenzothiazole	\$75.00
3123	25 mg	D-Luciferin free acid [Firefly luciferin]	\$60.00
3124	25 mg	D-Luciferin potassium salt [Firefly Luciferin potassium salt]	\$65.00
3125	25 mg	D-Luciferin sodium salt [Firefly Luciferin sodium salt]	\$65.00
3126	5 mg	D-Luciferin, 1-(4,5-dimethoxy-2-nitrophenyl)ethyl ester *Cell permeable* [DMNPE-caged luciferin]	\$175.00
3127	10 mg	D-Luciferin 6'-methyl ether sodium salt	\$70.00
3128	25 mg	D-Luciferin sodium salt *GenoPure* [Firefly Luciferin sodium salt]	\$75.00
3129	5 mg	D-Luciferin AM acetate *Cell permeable*	\$190.00
4000	10 mg	N-Acetyl-L-lysine 7-amido-4-methylcoumarin, acetate salt [Ac-Lys-AMC]	\$95.00
4001	25 mg	L-alanine 7-amido-4-methylcoumarin, trifluoroacetate salt	\$95.00
4002	25 mg	L-arginine 7-amido-4-methylcoumarin dihydrochloride	\$90.00
4003	10 mg	L-arginyl-L-arginine 7-amido-4-methylcoumarin hydrochloride	\$95.00
4004	10 mg	L-aspartic acid α-(7-amido-4-methylcoumarin) monohydrate [H-Asp-AMC]	\$80.00
4005	50 mg	5-bromo-4-chloro-3-indoxyl-b-D-cellobioside	\$80.00
4006	25 mg	N-a-CBZ-L-arginine 7-amido-4-methylcoumarin HCl	\$90.00
4007	10 mg	L-citrulline 7-amido-4-methylcoumarin HBr	\$90.00
4008	5 g	5,5'-Dithio-bis(2-nitrobenzoic acid) [DTNB] ,, [Ellman's reagent]	\$90.00
4009	25 mg	L-glutamic acid α-(7-amido-4-methylcoumarin)	\$80.00
4010	25 mg	L-glutamic acid γ-(7-amido-4-methylcoumarin)	\$80.00
4011	10 mg	Glutaryl-glycyl-L-arginine 7-amido-4-methylcoumarin HCl	\$95.00
4012	100 mg	Glycine 7-amido-4-methylcoumarin HBr	\$90.00
4013	25 mg	Glycyl-glycine 7-amido-4-methylcoumarin HCl	\$90.00
4014	25 mg	Glycyl-L-phenylalanine 7-amido-4-methyl coumarin [H-Gly-Phe-AMC]	\$80.00

4015	25 mg	Glycyl-L-proline 7-amido-4-methylcoumarin HBr	\$95.00
4016	1 g	Hematin	\$50.00
4017	1 g	Hemin GenoPure	\$25.00
4018	25 mg	L-histisine 7-amido-4-methylcoumarin	\$90.00
4019	10 mg	L-hydroxyproline 7-amido-4-methylcoumarin HCl	\$90.00
4020	50 mg	L-isoleucine 7-amido-4-methylcoumarin, trifluoroacetate salt	\$90.00
4021	50 mg	L-leucine 7-amido-4-methylcoumarin HCl	\$90.00
4022	25 mg	L-lysine 7-amido-4-methylcoumarin, acetate salt	\$90.00
4023	25 mg	L-methionine 7-amido-4-methylcoumarin, trifluoroacetate salt	\$90.00
4024	250 mg	4-methylumbelliferyl-N-acetyl-b-D-galactosaminide	\$95.00
4025	250 mg	4-methylumbelliferyl-N-acetyl-b-D-glucosaminide	\$95.00
4026	5 mg	2'-(4-methylumbelliferyl)-a-D-N-acetylneuraminic acid, sodium salt	\$95.00
4027	100 mg	4-methylumbelliferyl caprylate	\$90.00
4028	100 mg	4-methylumbelliferyl-b-D-cellobioside	\$90.00
4029	25 mg	4-methylumbelliferyl-a-L-fucopyranoside	\$125.00
4030	50 mg	4-methylumbelliferyl-b-D-fucopyranoside	\$150.00
4031	50 mg	4-methylumbelliferyl-b-L-fucopyranoside	\$150.00
4032	50 mg	4-methylumbelliferyl-a-D-galactopyranoside	\$150.00
4033	250 mg	4-methylumbelliferyl-b-D-galactopyranoside	\$80.00
4034	100 mg	4-methylumbelliferyl-a-D-glucopyranoside	\$90.00
4035	500 mg	4-methylumbelliferyl-b-D-glucopyranoside	\$90.00
4036	250 mg	4-methylumbelliferyl-b-D-glucuronic acid dihydrate	\$90.00
4037	250 mg	4-methylumbelliferyl-a-D-mannopyranoside	\$80.00
4038	250 mg	4-methylumbelliferyl-b-D-mannopyranoside	\$80.00
4039	250 mg	4-methylumbelliferyl nonanoate	\$90.00
4040	500 mg	4-Methylumbelliferyl palmitate [4-MU-palmitate]	\$120.00
4041	500 mg	4-Methylumbelliferyl phosphate, free acid [MUP]	\$90.00
4042	500 mg	4-Methylumbelliferyl phosphate, dilithium salt [MUP diLi]	\$95.00
4043	500 mg	4-methylumbelliferyl sulfate, potassium salt	\$100.00
4044	1 g	4-methylumbelliferyl-b-D-xylopyranoside	\$100.00
4045	5 g	Neutral Red	\$50.00
4046	250 mg	Nitrotetrazolium blue chloride	\$50.00
4047	25 mg	L-Ornithine 7-amido-4-methylcoumarin, carbonate salt	\$100.00
4048	100 mg	L-phenylalanine 7-amido-4-methylcoumarin, trifluoroacetate salt	\$150.00
4049	100 mg	L-proline 7-amido-4-methylcoumarin HBr	\$150.00
4050	50 mg	L-serine 7-amido-4-methylcoumarin HCl	\$100.00
4051	25 mg	L-seryl-L-tyrosine 7-amido-4-methylcoumarin hydrate	\$100.00
4052	1 g	Tetranitro blue tetrazolium chloride	\$55.00
4053	25 mg	L-valine 7-amido-4-methylcoumarin	\$90.00
4054	25 mg	L-Valine 7-amido-4-methylcoumarin, trifluoroacetate salt	\$90.00
4099	1 g	N-Boc-1,3-propanediamine	\$55.00
4100	1 g	N-Boc-ethylenediamine, hydrochloride salt [N-Boc-1,2-diaminoethane; tert-butyl, hydrochloride salt]	\$55.00
4101	1 g	N-Boc-cadaverine [N-Boc-1,5-diaminopentane]	\$70.00
4102	1 mg	2-(3-(Diphenylhexatrienyl)propanoyl)-1-hexadecanoyl-sn-glycero-3-phosphocholine [DPH HPC]	\$60.00
4103	250 mg	1,2-Dipalmitoyl-sn-glycero-3-phosphoethanolamine [DPPE]	\$80.00
4104	250 mg	1-Palmitoyl-sn-glycero-3-phosphocholine [P-lyso-PC]	\$55.00
4105	25 mg	Dihydroethidium [Hydroethidine]	\$100.00
4106	5 mg	5,5',6,6'-Tetrachloro-1,1',3,3'-tetraethylbenzimidazolylcarbocyanine iodide [JC-1] ,, [CBIC ₂ (3)]	\$95.00
4107	1 g	N-(3-Hydroxyphenyl)ethyl carbamate	\$30.00
4108	10 mg	2-Dodecylresorufin	\$85.00
4109	25 mg	S-Nitroso-N-acetylpenicillamine [SNAP]	\$65.00
4110	5 mg	4,4'-Dianilino-1,1'-binaphthyl-5,5'-disulfonic acid, dipotassium salt [Bis-ANS]	\$80.00
4111	25 mg	10-Acetyl-3,7-dihydroxyphenoxazine	\$80.00
4112	5 mg	4-(((7-Nitrobenz-2-oxa-1,3-diazoyl)amino)phenyl)acetic acid, succinimidyl ester [NBD aminophenylacetic acid, SE]	\$70.00
4113	5 mg	Rhodamine 110, bis-(N-CBZ-L-aspartyl-L-glutamyl-L-valyl-L-aspartic acid amide [Z-DEVD-R 110]	\$100.00
4114	1 mg	1-(4,5-dimethoxy-2-nitrophenyl)-1,2-diaminoethane-N,N,N',N'-tetraacetic acid, tetra(acetoxymethyl ester) *Cell permeable* [DMNP-EDTA, AM]	\$80.00
4115	5 mg	3,3'-bis-(Sulfo-butyl)-1,1'-diethyl-5,5',6,6'-tetrachlorobenzimidazolylcarbocyanine, potassium salt [TDBC-4]	\$195.00
4116	5 mg	2',4'-Dichlorobenzamil, hydrochloride	\$75.00
4117	5 mg	Benzamil hydrochloride	\$75.00
4999	25 mg	5(6)-Carboxy-2',7'-dichlorofluorescein diacetate, succinimidyl ester *Mixed isomers* *Cell permeable* [CDCFDA, SE]	\$95.00
5000	1 mg	5-TAMRA, C5-maleimide	\$55.00
5001	1 mg	6-TAMRA, C5-maleimide	\$65.00
5002	1 mg	5(6)-TAMRA, C5-maleimide	\$50.00
5003	5 mg	Rhodamine B, C5-maleimide	\$80.00

5004	25 mg	Tetramethylrhodamine, ethyl ester, perchlorate [TMRE]	\$60.00
5005	10 mg	Rhodamine B, octadecyl ester perchlorate	\$60.00
5006	10 mg	Dihydrorhodamine 123	\$80.00
5007	25 mg	Dihydrorhodamine 6G	\$70.00
5008	10 mg	6-Carboxyrhodamine 6G hydrochloride *Single isomer* [6-CR, 6G]	\$55.00
5009	1 g	Sulforhodamine B	\$20.00
5010	50 mg	Sulforhodamine 101	\$30.00
5011	10 mg	Sulforhodamine 101 sulfonyl chloride *Mixed isomers* [Sulforhodamine 101 acid chloride] ,, [GenoRed Sulfonyl chloride]	\$80.00
5012	5 mg	Rhodamine B 1,2-dihexadecanoyl-sn-glycero-3- phosphoethanolamine, triethylammonium salt [Rhodamine DHPE]	\$70.00
5013	500 mg	Rhodamine B sulfonyl chloride *Mixed isomers* [Sulforhodamine B acid chloride]	\$40.00
5014	10 mg	Rhodamine B ethylenediamine *Mixed isomers*	\$70.00
5017	5 mg	5-Carboxyfluorescein diacetate, AM ester *Cell permeable* [5-CFDA, AM]	\$30.00
5018	5 mg	6-Carboxyrhodamine-6G, succinimidyl ester *Single isomer* [6-CR 6G,SE]	\$85.00
5019	5 mg	5-Carboxyrhodamine-6G, succinimidyl ester *Single isomer* [5-CR 6G,SE]	\$85.00
5020	10 mg	5(6)-Carboxyrhodamine 6G, succinimidyl ester *Mixed isomers* [5(6)-CR 6G, SE]	\$85.00
5021	100 mg	5(6)-Carboxyrhodamine-6G *Mixed isomers* [5(6)-CR 6G]	\$110.00
5022	10 mg	5-Carboxyrhodamine-6G, hydrochloride *Single isomer* [5-CR 6G]	\$55.00
5024	10 mg	Fluorescein-5-EX, succinimidyl ester	\$65.00
5025	10 mg	Fluorescein-5-carbonyl azide, diacetate	\$65.00
5026	20 x 50 ug	2',7-Bis(2-Carboxyethyl)-5(6)-carboxyfluorescein, acetoxymethyl ester *Cell permeable* *Mixed isomers* *GenoPak* [BCECF, AM]	\$100.00
5027	1 mg	2',7-Bis(2-Carboxyethyl)-5(6)-carboxyfluorescein, acetoxymethyl ester *Cell permeable* *Mixed isomers* [BCECF, AM]	\$75.00
5028	10 mg	2',7-Bis-(2-Carboxyethyl)-5(6)-carboxyfluorescein *Mixed isomers* [BCECF acid]	\$95.00
5029	25 mg	5(6)-Carboxynaphthofluorescein diacetate *Mixed isomers* *Cell permeable*	\$90.00
5030	10 mg	5(6)-Carboxynaphthofluorescein diacetate, succinimidyl ester *Mixed isomers* *Cell permeable*	\$90.00
5031	25 mg	5(6)-Carboxynaphthofluorescein , succinimidyl ester *Mixed isomers* [NFSE]	\$60.00
5032	100 mg	5(6)-Carboxynaphthofluorescein *Mixed isomers*	\$65.00
5033	5 mg	5(6)-Carboxyrhodamine 110, succinimidyl ester hydrochloride *Mixed isomers* [5(6)-CR 110, SE]	\$115.00
5034	50 mg	5(6)-Carboxyrhodamine 110, hydrochloride *Mixed isomers* [5(6)-CR 110]	\$195.00
5035	5 mg	9H-(1,3-Dichloro-9, 9-dimethylacridin-2-one-7-yl) β-D-galactopyranoside [DDAOG],[DDAO galactoside]	\$185.00
5036	5 mg	9H-(1,3-Dichloro-9,9-dimethylacridin-2-one-7-yl) phosphate, diammonium salt [DDAO phosphate]	\$140.00
5037	100 mg	9H-(1,3-dichloro-9,9-dimethylacridin-2-one) [DDAO]	\$175.00
5038	10 mg	5-((2-(Carbohydrazino)methyl)thio)acetyl)aminofluorescein *Single isomer*	\$65.00
5039	1 mg	Dexamethasone fluorescein	\$35.00
5040	100 mg	N-Octadecylfluorescein-5-thiourea *Single isomer*	\$60.00
5041	100 mg	5-Dodecanoylaminofluorescein *Single isomer*	\$60.00
5042	1 mg	Colchicine fluorescein	\$50.00
5043	1 mg	Formyl- Nle-Leu-Phe-Nle-Tyr-Lys, fluorescein conjugate	\$80.00
5046	1 mg	Methotrexate, fluorescein, triammonium salt [Fluorescein methotrexate]	\$85.00
5047	100 mg	5-(Aminoacetamido)fluorescein *Single isomer* [fluorescein glycnamide]	\$85.00
5048	5 mg	Fluorescein di-β-D-glucopyranoside [FDGLU]	\$80.00
5049	50 mg	5-Carboxy-2',7'-dichlorofluorescein diacetate *Single isomer* *Cell permeable* [5-CDCFDA]	\$195.00
5050	10 mg	5-Carboxy-2', 7'-dichlorofluorescein diacetate succinimidyl ester *Single isomer* *cell permeable* [5-CDCFDA, SE]	\$85.00
5051	300 units	Fluorescein phalloidin	\$175.00
5052	300 units	Rhodamine phalloidin	\$150.00
5054	1 mg	Phalloidin	\$80.00
5055	1 g	5(6)-Carboxyfluorescein *Mixed isomers* *GenoPure*	\$75.00
5056	25mg	5-Carboxyfluorescein diacetate succinimidyl ester * Cell permeable* *Single isomer* [5-CFDA, SE]	\$50.00
5057	25 mg	6-Carboxyfluorescein diacetate succinimidyl ester *Cell permeable* *Single isomer* [6-CFDA, SE]	\$60.00
5058	100 mg	Fluorescein-5-isothiocyanate diacetate *Cell permeable* *Single isomer* [FITCDA]	\$80.00
5059	100 mg	Fluorescein-6-isothiocyanate *Single isomer* [FITC isomer II]	\$95.00
5060	10 x 50 mg	Fluorescein-5-isothiocyanate *Single isomer* *GenoPak* [FITC isomer I]	\$105.00
5061	100 mg	6-Carboxy-2',7'-dichlorofluorescein diacetate *Single isomer* *Cell permeable* [6-CDCFDA]	\$85.00
5062	10 mg	5-(Bromomethyl)fluorescein *Single isomer* [5-BMF]	\$145.00
5063	10 mg	5-(Aminomethyl)fluorescein hydrochloride *Single isomer* [5-AMF]	\$100.00
5064	25 mg	Fluorescein-5-maleimide *Single isomer* [5-MF]	\$135.00
5065	25 mg	5-Iodoacetamidofluorescein *Single isomer* [5-IAF]	\$90.00
5066	100 mg	Fluorescamine	\$30.00
5067	100 mg	Fluorescamine *GenoPure*	\$45.00
5068	10 mg	Fluorescein octadecyl ester [chromoionophore XI]	\$60.00
5069	100 mg	2',7'-Dichlorodihydrofluorescein diacetate *Cell permeable* [H2DCFDA] ,, [DCFH]	\$50.00
5070	100 ug	Aminophalloidin, p-toluenesulfonate	\$200.00
5071	1 mg	Phalloidin	\$95.00
5072	5 mg	N-(Fluorescein-5-thiocarbonyl)-1,2-dihexadecyl-sn-gycero-3-phosphoethanolamine, triethylammonium salt [Fluorescein DHPE]	\$70.00
5073	5 mg	2',7'-Dichlorodihydrofluorescein diacetate, succinimidyl ester [DCDHFDA, SE]	\$45.00
5074	100 mg	Fluorescein-5-thiosemicarbazide *Single isomer*	\$130.00

5075	10 mg	Biotin-4-fluorescein	\$90.00
5077	25 mg	5-((5-Aminopentyl)thioureidyl)fluorescein dihydrobromide [Fluorescein cadaverine]	\$125.00
5078	10 mg	6-(Fluorescein-5(6)-carboxamido)hexanoic acid, succinimidyl ester *Mixed isomers* [5(6)- SFX]	\$65.00
5079	5 mg	6-(Fluorescein-5-carboxamido)hexanoic acid, succinimidyl ester *Single isomer* [5-SFX]	\$60.00
5080	5 mg	6-(Fluorescein-6-carboxamido)hexanoic acid, succinimidyl ester *Single isomer* [6-SFX]	\$65.00
5081	100 mg	Fluorescein-5(6)-sulfonic acid, trisodium salt [FSA]	\$75.00
5082	5 g	1-Pyrenecarboxaldehyde *GenoPure*	\$100.00
5083	100 mg	N-(1-Pyrene)iodoacetamide	\$125.00
5084	250 mg	Pyrene-1,3,6,8-tetrasulfonic acid, tetrasodium salt [HPTS]	\$30.00
5085	10 mg	1,3-Bis-(1-pyrene)propane [BPP]	\$60.00
5086	1 mg	N-(Rhodamine 101 sulfonyl)-1,2-hexadecanoyl-sn-4-phosphoethanolamine, triethylammonium salt [Sulforhodamine 101 DHPE] ,, [GenoRed DHPE]	\$40.00
5087	100 mg	1-Pyrenebutanoic acid, hydrazide	\$100.00
5088	1 g	1-Pyrenemethylamine, hydrochloride	\$55.00
5089	25 mg	N-(1-Pyrenemethyl)iodoacetamide [PMIA amide]	\$95.00
5090	100 mg	1-Pyrenesulfonyl chloride	\$70.00
5091	100 mg	N-(1-Pyrene)maleimide	\$40.00
5092	25 mg	1-Pyreneacetic acid, succinimidyl ester	\$45.00
5093	5 mg	21-Deoxy-21-(2-(aminoethyl)thio)dexamethasone, trifluoroacetic acid salt	\$90.00
5094	5 mg	Calcimycin [A-23187 free acid]	\$40.00
5096	5 mg	Methotrexate cadaverin, trifluoroacetic acid	\$185.00
5098	1 g	4-Amino-4-nitrostilbene-2,2'-disulfonic acid, disodium salt	\$25.00
5099	100 mg	4-Amino-4'-benzamido-2,2'-disulfonic acid, disodium salt [MBDS]	\$95.00
5102	100 mg	5-Amino-2',4',5'7'-tetrabromofluorescein *Single isomer* [5-Amino eosine]	\$75.00
5103	1 g	5-(2-Aminoethylamino)-1-naphthalenesulfonic acid sodium salt [EDANS]	\$120.00
5104	25 mg	N-(2-Aminoethyl)-4-amino-3,6-disulfo-1,8-naphthalimide, dipotassium salt [Lucifer yellow ethylenediamine]	\$55.00
5105	5 mg	3-Amino-3-deoxydigoxigenin [3 β -Amino-3-deoxydigoxigenin]	\$80.00
5106	5 mg	3-Amino-3-deoxydigoxigenin hemisuccinamide, succinimidyl ester	\$125.00
5109	10 mg	Aminostilbamide, methanesulfonate	\$80.00
5110	10 mg	Hydroxystilbamide, methanesulfonate [FluoroGold trademark of FluoroChrome, Inc.]	\$90.00
5111	1 g	8-Aminonaphthalene-1,3,6-trisulfonic acid, disodium salt [ANTS]	\$60.00
5112	25 mg	4-Azido-2,3,5,6-tetrafluorobenzylamine, hydrochloride	\$60.00
5113	25 mg	4-Azido-2,3,5,6-tetrafluorobenzoic acid, succinimidyl ester [ATFB, SE]	\$70.00
5114	1 g	5-Aminofluorescein *single isomer* [fluoresceinamine isomer I]	\$45.00
5115	1 g	7-Amino-4-(trifluoromethyl)coumarin [Coumarin 151]	\$30.00
5116	25 mg	6-Acryloyl-2-dimethylaminonaphthalene [Acrylodan]	\$195.00
5117	10 mg	4',6-Diamidino-2-phenylindole, dihydrochloride salt [DAPI, 2 HCl]	\$40.00
5118	10 mg	4',6-Diamidino-2-phenylindole, dihydrochloride *GenoPure* [DAPI, 2HCl]	\$60.00
5119	10 mg	4',6-Diamidino-2-phenylindole, dilactate [DAPI, dilactate]	\$50.00
5120	5 mg	Pyridinium, 4-(2-(6-(diethylamino)-2-naphthalenyl)ethenyl)-1-(3-sulopropyl)-inner salt [Di-8-ANEPPS]	\$130.00
5121	25 mg	4'-(Aminomethyl)fluorescein, hydrochloride [4-AMF]	\$125.00
5122	10 mg	6-(Diethylamino)-2-(2-(4-pyridyl)ethenyl)naphthalene [di-8-ANEP]	\$150.00
5123	5 mg	Pyridinium, 4(2-(6-(dibutylamino)-2-naphthalenyl)ethenyl)-1-(3-sulopropyl)-inner salt [Di-4-ANEPPS]	\$130.00
5124	10 mg	6-(Dibutylamino)-2-(2-(4-pyridyl)ethenyl)naphthalene [Di-4-ANEP]	\$150.00
5130	100 mg	Propidium iodide [PI]	\$60.00
5131	100 mg	Propidium iodide GenoPure [PI]	\$90.00
5132	10 ml	Propidium iodide 10mg/10ml solution in water [PI]	\$35.00
5134	1 g	Ethidium bromide [EtBr]	\$20.00
5135	10 ml	Ethidium bromide [EtBr] 10mg/ml solution in water	\$35.00
5136	1 mg	Ethidium homodimer-1 [EthD-1]	\$100.00
5137	250 uL	Ethidium homodimer-2 [EthD-2] *Genosol/ 1 mM solution in DMSO*	\$95.00
5138	5 mg	Ethidium diazide Chloride [EDA]	\$65.00
5139	5 mg	Ethidium monoazide bromide [EMA]	\$140.00
5140	1 g	3,8-Diamino-6-phenylphenanthridine	\$45.00
5141	1 g	3,8-Bis(carbethoxyamino)-6-phenylphenanthridine	\$55.00
5142	10 mg	Nigericin sodium salt [Antibiotic K178]	\$75.00
5143	100 mg	N-(2-Aminoethyl)maleimide, trifluoroacetic acid salt	\$55.00
5144	100 mg	N-(5-Aminopentyl)maleimide, trifluoroacetic acid salt	\$65.00
5145	1 g	Fluorescein Standard *GenoPure*	\$50.00
5146	1 g	Fluorescein diacetate *Cell permeable* [FDA]	\$45.00
5147	5 mg	Fluorescein diphosphate, tetraammonium salt [FDP]	\$155.00
5148	5 mg	Fluorescein di- β -D-galactopyranoside [FDG]	\$80.00
5149	1 g	5(6)-Carboxyfluorescein *Mixed isomers* [5(6)- FAM]	\$20.00
5150	100 mg	5(6)-Carboxyfluorescein diacetate *Mixed isomers* *Cell permeable* [5(6)- CFDA]	\$65.00
5151	100 mg	5(6)-Carboxyfluorescein succinimidyl ester *Mixed isomers* [5(6)- FAM SE]	\$70.00

5152	100 mg	5-Carboxyfluorescein *Single isomer* [5-FAM]	\$50.00
5153	100 mg	6-Carboxyfluorescein *Single isomer* [6-FAM]	\$50.00
5154	100 mg	5-Carboxyfluorescein diacetate *Cell permeable* *single isomer* [5-CFDA]	\$80.00
5155	100 mg	6-Carboxyfluorescein diacetate *Cell permeable* *Single isomer* [6-CFDA]	\$85.00
5156	25 mg	5(6)-Carboxyfluorescein diacetate, succinimidyl ester *Mixed isomers* *Cell permeable* [5(6)-CFDA, SE]	\$65.00
5157	10 mg	5-Carboxyfluorescein succinimidyl ester *Single isomer* [5-FAM, SE]	\$55.00
5158	10 mg	6-Carboxyfluorescein succinimidyl ester *Single isomer* [6-FAM, SE]	\$60.00
5159	1 g	Fluorescein-5-isothiocyanate *Single isomer* [FITC isomer I]	\$100.00
5160	25 mg	5(6)-Carboxy-2',7'-dichlorodihydrofluorescein diacetate *Mixed isomers* *Cell permeable* [Carboxy-H2DCFDA]	\$80.00
5161	100 mg	Calcein *GenoPure* [Fluorexon]	\$85.00
5162	1 mg	Calcein, AM [Calcein O,O'-diacetate tetrakis(acetoxymethyl) ester]	\$75.00
5163	20 x 50 ug	Calcein, AM *GenoPak* Calcein O,O'-diacetate tetrakis(acetoxymethyl) ester	\$115.00
5164	1 ml	Calcein, AM *Genosol* *1 mg/ml anhydrous DMSO*	\$95.00
5165	5 mg	6-Carboxy-4',5'-dichloro-2',7'-dimethoxyfluorescein, succinimidyl ester *Single isomer* [6-JOE, SE]	\$135.00
5166	10 mg	6-Carboxy-4',5'-dichloro-2',7'-dimethoxyfluorescein *Single isomer* [6-JOE]	\$80.00
5167	100 mg	5(6)-Carboxy-2',7'-dichlorofluorescein *Mixed isomers* [CDCF]	\$50.00
5168	100 mg	5(6)-Carboxy-2',7'-dichlorofluorescein diacetate *Mixed isomers* *Cell permeable* [CDCFDA]	\$50.00
5169	5 mg	6-Carboxy-2',7'-dichlorodihydrofluorescein diacetate diacetoxymethyl ester *Single isomer* *Cell permeable* [CDCDHFDA, AM]	\$90.00
5170	5 mg	5-Carboxy-4',5'-dichloro-2',7'-dimethoxyfluorescein diacetate acetoxymethyl ester *Cell permeable* *Single isomer* [5-JOE, AM diacetate]	\$85.00
5171	50 mg	2',4',5',7'-Tetrabromofluorescein-5-isothiocyanate * Single isomer* [Eosin-5-isothiocyanate]	\$50.00
5172	100 mg	7-Diethylaminocoumarin-4-acetic acid	\$70.00
5173	100 mg	7-Diethylaminocoumarin-3-carboxylic acid	\$45.00
5174	10 mg	5-Carboxy-4',5'-dichloro-2',7'-dimethoxyfluorescein *Single isomer* [5-JOE]	\$55.00
5175	100 mg	1-Pyrenebutanoic acid *GenoPure*	\$70.00
5176	100 mg	1-Pyrenehexanoic acid	\$90.00
5177	100 mg	1-Pyrenebutanoic acid, succinimidyl ester	\$80.00
5178	10 mg	1-pyrenehexanoic acid, succinimidyl ester	\$55.00
5179	100 mg	8-Acetoxy pyrene-1,3,6-trisulfonic acid, trisodium salt [HPTS acetate]	\$35.00
5180	100 mg	1-Pyreneisothiocyanate	\$70.00
5181	25 mg	9-Anthracenecarbonyl cyanide [9-Anthroylnitrile]	\$70.00
5182	25 mg	9-Anthryldiazomethane [ADAM]	\$80.00
5183	5 g	Anthracene-9-carboxylic acid [9-Anthroic Acid], [9-AC]	\$45.00
5184	100 mg	Anthracene-9- carboxylic acid, succinimidyl ester [9-AC, SE]	\$80.00
5185	100 mg	2-Anthraceneiodoacetamide	\$70.00
5186	100 mg	2-Anthraceneisothiocyanate	\$70.00
5187	25 mg	Anthracene-2,3-dicarboxaldehyde [ADA]	\$150.00
5188	100 mg	9-Anthracenepropionic acid	\$65.00
5189	50 mg	9-Anthracenepropionic acid, succinimidyl ester [9-APA, SE]	\$75.00
5193	50 mg	1-Azidopyrene	\$55.00
5194	100 mg	1-Anilino naphthalene-8-sulfonic acid *GenoPure* [1,8-ANS]	\$65.00
5195	100 mg	2-Anilino naphthalene-6-sulfonic acid *GenoPure* [2,6-ANS]	\$65.00
5196	50 mg	Cholesteryl-9-anthracenecarboxylate	\$65.00
5197	2 g	Cholesteryl chloroformate	\$35.00
5198	100 mg	Cholesteryl phosphoryl choline	\$75.00
5199	25 mg	Cholesteryl 1-pyrenecarboxylate	\$60.00
5200	25 mg	Cholesteryl-1-pyrenebutyrate	\$55.00
5201	500 mg	4-Fluororesorcinol	\$295.00
5202	500 mg	2,4-Difluororesorcinol	\$635.00
5203	25 mg	1-Hexadecylpyrene [1-Palmitylpyrene]	\$115.00
5205	100 mg	8-Methoxy pyrene-1,3,6-trisulfonic acid, trisodium salt [MPTS]	\$99.00
5207	10 mg	N-(4-Aminobutyl)-6-methoxyquinolinium chloride [ABQ]	\$55.00
5209	2 mg	4',6-(Diimidazol-2-yl)-2-phenylindole, dihydrochloride [DIPI]	\$100.00
5210	100 mg	Hoechst 33342, trihydrochloride, trihydrate	\$50.00
5211	100 mg	Hoechst 33258 trihydrochloride, pentahydrate [Bis-benzimide]	\$50.00
5212	10 ml	Hoechst 33258 trihydrochloride, pentahydrate *GenoSol* *10 mg/ml of H ₂ O* [Bis-Benzimide]	\$45.00
5213	10 ml	Hoechst 33342, trihydrochloride, trihydrate *GenoSol* *10mg/ml of H ₂ O* [Bis-Benzimide]	\$45.00
5214	1 g	7-Methoxy-2,2,4-trimethyl-1,2-dihydroquinoline	\$125.00
5215	1 g	7-Hydroxy-2,2,4-trimethyl-1,2-dihydroquinoline	\$260.00
5216	100 mg	6-Hydroxy-2,3,3-trimethylindoline	\$145.00
5217	1 g	3-(Dimethylamino)phenol GenoPure	\$70.00
5218	1 g	8-Hydroxyjulolidine	\$45.00
5219	1 g	Tris-(2-Carboxyethyl)phosphine, hydrochloride [TCEP. HCl]	\$30.00
5223	5 mg	5-(Chloromethyl)fluorescein *Single isomer* [5-CMF]	\$150.00
5225	100 mg	N-Succinimidyl-3-(2-pyridylthio)propionate [SPDP]	\$70.00

5226	1 mg	7-Aminoactinomycin D [7-AAD]	\$60.00
5227	50 mg	Hoechst 33258, pentahydrate *GenoPure* [bis-Benzimide]	\$50.00
5228	50 mg	Hoechst 33342, trihydrochloride, trihydrate *GenoPure*	\$50.00
5229	10 mg	Actinomycin D	\$55.00
5230	100 mg	Azure A chloride [N,N-Dimethylthionin]	\$85.00
5231	100 mg	Azure B [N,N,N'-Trimethylthionin]	\$75.00
5232	100 mg	Azure C [N-Methylthionin]	\$75.00
5233	1 g	4-Chloro-7-nitrobenzofurazan [NBD-Cl]	\$40.00
5234	25 mg	4-Fluoro-7-nitrobenzofurazan [NBD-F]	\$50.00
5236	25 mg	1-Pyrenedecanoic acid	\$80.00
5237	5 mg	1-Pyrenebutyric acid, C2-maleimide	\$85.00
5238	5 mg	1-Pyrenedecanoic acid, C ₂ -maleimide	\$105.00
5239	100 mg	Resorcinol-4-propionic acid, ethyl ester	\$75.00
5240	1 g	8-Hydroxypyrene-1,3,6-trisulfonic acid, trisodium salt [HPTS, pyranine]	\$65.00
5241	10 mg	8-Aminopyrene-1,3,6-trisulfonic acid, trisodium salt [APTS]	\$90.00
5242	25 mg	1-Pyrenedodecanoic acid	\$90.00
5243	25 mg	1-Pyrenyldiazomethane [PDAM]	\$115.00
5244	1 mg	N-(3-Triethylammonium)-4-(4-(4-(diethylamino)phenyl)butadienyl)pyridinium dibromide [RH 414]	\$55.00
5245	5 mg	N-(4-Sulfobutyl)-4-(6-(4-dibutylamino)phenyl)hexatrienylpyridinium inner salt [RH 237]	\$70.00
5247	1 mg	N-(3-Triethylammoniumpropyl)-4-(6-(4-(diethylamino)phenyl)hexatrienyl)pyridinium dibromide [Geno 464]	\$90.00
5248	25 mg	4-Azidophenyl isothiocyanate	\$95.00
5249	5 mg	N-((4-(6-Phenyl-1,3,5-hexatrienyl)phenyl)propyl)trimethylammonium, p-toluenesulfonate [TMAP-DPH]	\$60.00
5250	5 mg	N-(3-Triethylammoniumpropyl)-4-(4-(diethylamino)styryl)pyridinium dibromide [Geno 210]	\$105.00
5251	100 mg	6-Methoxy-N-(3-sulfopropyl)quinolinium inner salt [SPQ]	\$65.00
5252	100 mg	6-Methoxy-N-ethylquinolinium iodide [MEQ]	\$45.00
5253	25 mg	N-(6-Methoxy-8-quinoloyl)-p-toluenesulfonamide [TSQ]	\$40.00
5254	100 mg	Benzophenone-4-maleimide	\$65.00
5255	25 mg	7-Ethoxy-4-trifluoromethylcoumarin	\$70.00
5256	10 ml	6-Methoxyquinoline	\$80.00
5260	100 mg	3-Maleimidopropionate, succinimidyl ester [N-Succinimidyl 3-maleimidopropionate] ,, [BMPS]	\$85.00
5261	100 mg	5-(4,6-Dichlorotriazinyl)aminofluorescein, hydrochloride *Single isomer* [5-DTAF]	\$45.00
5262	1 g	3-Maleimidopropionic acid [BMPA],[N-maleoyl-b-alanine]	\$250.00
5263	25 mg	N-Succinimidyl-12-(7-nitrobenzofurazan-4ylamino)dodecanoate [NBD-C ₁₂ , SE]	\$80.00
5264	25 mg	Succinimidyl 6-(N-(7-nitrobenz-2-oxa-1,3-diazol-4-yl)amino)hexanoate [NBD-C ₆ SE] ,, [NBD-X, SE]	\$80.00
5265	5 mg	6-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)-6-deoxyglucose [6-NBDG]	\$160.00
5266	100 mg	12-(7-Nitrobenzofurazan-4-ylamino)dodecanoic acid [NBD-C ₁₂ acid]	\$80.00
5267	100 mg	6-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)hexanoic acid [NBD-C ₆] ,, [NBD-X]	\$50.00
5269	5 mg	2-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)-2-deoxyglucose [2-NBDG]	\$75.00
5270	25 mg	Nile Red [Phenoxazone 9]	\$45.00
5271	5 mg	True Blue chloride	\$110.00
5272	5 g	Nile blue chloride	\$75.00
5274	25 mg	Succinimidyl trans-4-(maleimidylmethyl)cyclohexane-1-carboxylate [SMCC]	\$35.00
5275	10 mg	2-(N-(7-Nitrobenz-2-oxa-1,3-diazol-4-yl)amino)ethanesulfonic acid, sodium salt [NBD taurine]	\$140.00
5276	1 g	Octadecyl 4-chlorobenzenesulfonate [Octadecyl p-chlorobenzenesulfonate]	\$35.00
5277	1 g	Dodecyl 4-chlorobenzenesulfonate [Dodecyl p-chlorobenzenesulfonate]	\$45.00
5278	250 mg	7-Hydroxy-4-(trifluoromethyl)coumarin [4-Trifluoromethylumbelliferone]	\$20.00
5279	1 g	7-Hydroxy-3,4,8-trimethylcoumarin [3,4,8-trimethylumbelliferone]	\$60.00
5280	25 mg	3-Hexadecanoyl-7-hydroxycoumarin [3-palmitoyl-7-hydroxycoumarin]	\$95.00
5281	10 mg	7-Hydroxy-4-chloromethylcoumarin [CMHC]	\$60.00
5282	1 g	6-(2,4-Dinitrophenyl)aminohexanoic acid [DNP-X, acid]	\$45.00
5283	1 g	Docosanoyl-4-toluenesulfonate	\$55.00
5284	1 mg	N-(3-Triethylammoniumpropyl)-4-(4-(dibutylamino)styryl)pyridinium dibromide [Geno 143]	\$45.00
5285	1 mg	N-(3-Trimethylammoniumpropyl)-4-(6-(4-(diethylamino)phenyl)hexatrienyl)pyridinium dibromide [Geno 595]	\$65.00
5286	5 mg	Histamine fluorescein, disodium salt FITC-Histamine]	\$50.00
5287	100 mg	4',6-Dicyano-2-phenylindole	\$100.00
5288	5 mg	N-(3-(Trimethylammonium)propyl)-4-(4-(p-diethylaminophenyl)butadienyl)pyridinium, dibromide [RH 461]	\$125.00
5289	25 mg	N-(4-Sulfobutyl)-4-(p-dipentylaminostyryl)pyridinium, inner salt [Di ₅ -ASP-BS]	\$75.00
5290	25 mg	6-(Fluorescein-5-carboxamido)hexanoic acid *Single isomer*	\$145.00
5291	25 mg	6-(Fluorescein-6-carboxamido)hexanoic acid *Single isomer*	\$175.00
5292	1 mg/0.5 ml	Ethidium homodimer-1, solution in water [EthD-1, Genosol/H ₂ O]	\$125.00
5293	1 mg/0.5 ml	Ethidium homodimer-1, solution in DMSO [EthD-1, Genosol/DMSO]	\$135.00